




Turnover Knives, Profile Knives, Knives




Product	Page
Turnover Knives, Profile Knives	6-1
Turnover Spurs	6-11
Turnover Knives	6-13
centering point	6-22
Mini Turnover Knives	6-23
Portable Planer Turnover Knives	6-25
Radius and Chamfering Turnover Knives / Profile Knives	6-26
Profile Knives / Turnover Knives	6-34
Profile Turnover Knives	6-43
Scraper Turnover Knives / Knives	6-46
Cup Knives	6-57
Saw Teeth	6-58
Planing Knives	6-59
Blanks	6-65


150516

EcoKnife Turnover Knives HW with 2 cutting edges

Product



Drawing



tungsten carbide [HW]

Machine / Application

Design

- | cutting material: HW
- | HL Board 06
- | less HW raw material charge

Advantages

- | long edge lives and optimum cutting quality in wood materials, plastics, hard and soft woods
- | turnover knife with less weight
- | less unbalance

Notes


- | packing unit: 10 pieces

B	H	S	Ø d	L	Wedge	Ident-No.
20	12	1.5	4		55	183569
30	12	1.5	4	11-14	55	183570
50	12	1.5	4	20-26	55	183571
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	


150511 / 150512 / 150515 / 150516 / 150518 / 150718

Turnover Knives HW with 2 cutting edges

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

Design

- | Topline (polished face and micro-ground clearance angle)
- | cutting material: HW
- | HW HL Board 01 for wood-based panels and plastics
- | HW HL Board 02 for wood-based panels and plastics
- | HL Board 06 for wood-based panels, plastics, hard and soft woods
- | HL Board 05 for wood-based panels, plastics and hard woods
- | HL Solid 25 for hard and soft woods
- | HL Solid 25 Topline for hard and soft woods

Advantages

- | long edge lives and optimum cutting quality in solid woods

Notes

- | packing unit: 10 pieces

B	H	S	Ø d	L	Wedge◊	LEUCODUR	Ident-No.
7,6	12	1.5	4		55	HL Board 05	052543
7,5	12	1.5	4		45	HL Solid 25	173473 o
9,6	12	1.5	4		55	HL Board 05	171163
10,5	12	1.5	4		55	HL Board 05	162636
11	12	1.5	4		55	HL Board 05	162637
13	12	1.5	4		55	HL Board 05	162638
15	12	1.5	4		55	HL Board 05	003081
15	12	1.5	4		45	HL Solid 25	173467 o
15,7	12	1.5	4		55	HL Board 05	163846
17	12	1.5	4		55	HL Board 05	162639
18	12	1.5	4		55	HL Board 05	162520
19	12	1.5	4		55	HL Board 05	164242
20	12	1.5	4		55	HL Board 01	180222
20	12	1.5	4		55	HL Board 02	176469
20	12	1.5	4		55	HL Board 06	178287
20	12	1.5	4		55	HL Board 05	003082
20	12	1.5	4		45	HL Solid 25	173468 o
20	12	1.5	4		45	HL Solid 25 Topline	176265
30	12	1.5	4	14	55	HL Board 01	180223
30	12	1.5	4	14	55	HL Board 02	176470
30	12	1.5	4	14	55	HL Board 06	178288
30	12	1.5	4	14	55	HL Board 05	003083
30	12	1.5	4	14	45	HL Solid 25	173469 o
30	12	1.5	4	14	45	HL Solid 25 Topline	176266
40	12	1.5	4	26	55	HL Board 02	182191 o
40	12	1.5	4	26	55	HL Board 05	164078
40	12	1.5	4	26	45	HL Solid 25	173470 o
40	12	1.5	4	26	45	HL Solid 25 Topline	176267
50	12	1.5	4	26	55	HL Board 01	180224
50	12	1.5	4	26	55	HL Board 02	176471
50	12	1.5	4	26	55	HL Board 06	178289
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		

B	H	S	Ø d	L	Wedge	LEUCODUR	Ident-No.
50	12	1.5	4	26	55	HL Board 05	003085
50	12	1.5	4	26	45	HL Solid 25 Topline	176268
60	12	1.5	4	26	55	HL Board 05	003086
60	12	1.5	4	26	45	HL Solid 25	173472 o
60	12	1.5	4	26	45	HL Solid 25 Topline	176269
80	13	2.2	4	59-61	55	HL Board 06	003087
80	13	2.2	4	59-61	45	HL Solid 25 Topline	181677
100	13	2.2	4	59-61	55	HL Board 06	003088
120	13	2.2	4	59-61	55	HL Board 06	003089
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		


150513 / 150515 150518 / 150718

Turnover Knives HW with 4 cutting edges

Product



Drawing



tungsten carbide [HW]

Machine / Application

Design

Advantages

Notes

- | Topline (polished face and micro-ground clearance angle)
- | cutting material: HW
- | HL Board 03 for wood-based panels and plastics
- | HL Board 05 for wood-based panels, plastics and hard woods
- | HL Solid 25 Topline for hard and soft woods
- | HL Solid 30 for hard and soft woods

- | long edge lives and optimum cutting quality in solid woods

- | packing unit: 10 pieces

B	H	S	Ø d	Wedge	LEUCODUR	Ident-No.
10,5	10,5	1.5	4	55	HL Solid 30	162316
12	12	1.5	4	55	HL Board 03	180820
12	12	1.5	4	55	HL Board 05	003080
12	12	1.5	4	45	HL Solid 25 Topline	176340
17	17	2	4	55	HL Board 05	Weinig 162581
19	19	2	4	55	HL Board 05	162582
[mm]	[mm]	[mm]	[mm]	[°]		


150513 / 150515

Turnover Knives HW with 2 cutting edges, end sharpened

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

| for use in shank-type cutters

Design

| cutting material: HW
 | HL Board 02 for wood-based panels and plastics
 | HL Board 03 for wood-based panels and plastics
 | HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

| packing unit: 10 pieces


B	H	S	Ø d	L	Wedge	LEUCODUR	Ident-No.
17,5	7	1.5			55	HL Board 05	184257
29,5	7	1.5	3,3	14	55	HL Board 05	184258
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		
B	H	S	Ø d	L	Wedge	LEUCODUR	Ident-No.
29,5	9	1.5	4	14	55	HL Board 03	180807
29,5	9	1.5	4	14	55	HL Board 05	180821
39,5	9	1.5	4	26	55	HL Board 05	180815
49,5	9	1.5	4	26	55	HL Board 03	180808
49,5	9	1.5	4	26	55	HL Board 05	180806
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		
B	H	S	Ø d	L	Wedge	LEUCODUR	Ident-No.
9	12	1.5	4		55	HL Board 05	167256
10	12	1.5	4		55	HL Board 05	165914
19,5	12	1.5	4		55	HL Board 05	183777
29,5	12	1.5	4	14	55	HL Board 02	181160
29,5	12	1.5	4	14	55	HL Board 05	180825
39,5	12	1.5	4	26	55	HL Board 05	171149
49,5	12	1.5	4	26	55	HL Board 05	180826
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		

150516 / 150513

Turnover Knives HW with 2 cutting edges, end sharpened - 3 holes

Product

Drawing



tungsten carbide [HW]

Machine / Application

Design

Advantages

Notes

- I cutting material: HW
- I HL Board 06 for wood-based panels, plastics and hard woods
- I HW HL Board 03 for wood-based panels and plastics

I packing unit: 10 pieces



B	H	S	Ø d	L	Wedge	LEUCODUR	Ident-No.
50	9	1.5	3,7	37	55	HL Board 03	181982
50	12	1.7	4	37	55	HL Board 06	179994
50	12	1.7	4	37	55	HL Board 03	182456
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		

150515

Turnover Knives HW with 2 cutting edges and chamfer - HolzHer

Product

Drawing



tungsten carbide [HW]

Machine / Application

Design

Advantages

Notes

- I machines HOLZ-HER
- I for use in edge banding / jointing cutterheads

- I grinding angle 55 degrees
- I cutting material: HW
- I HL Board 06 for wood-based panels, plastics and hard woods

I packing unit: 10 pieces

Chamfer	B	H	S	Ø d	L	Ident-No. [L]	Ident-No. [R]
15	29,5	12	1.5	4	14	160118	160618
[°]	[mm]	[mm]	[mm]	[mm]	[mm]		


150518

Turnover Knives HW with 2 cutting edges, edge bevel - Brandt, Ott

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- machines Brandt, Ott
- Brandt: for use in grooving cutterheads and prism cutterheads or as flat scraper
- Ott: for the use as flat scraper

Design

- grinding angle 55 degrees
- cutting material: HW
- HL Solid 25 for hard and soft woods

Advantages

Notes

- packing unit: 10 pieces

B	H	S	Ø d	Clearance $\angle 1$	Ident-No. [L]	Ident-No. [R]
15,0	14,3	2,5	6,3	6	184263	184262
[mm]	[mm]	[mm]	[mm]	[°]		


150515

Turnover Knives HW with 2 cutting edges, edge bevel and end sharpened

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- for use in V-grooving cutterheads and prism cutterheads

Design

- grinding angle 55 degrees
- cutting material: HW
- HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes


- packing unit: 10 pieces

B	H	S	Ø d	L	Clearance $\angle 1$	Clearance $\angle 2$	Ident-No. [L]	Ident-No. [R]
19,5	12	1,5	4		3,5	10	160626	160625
29,5	12	1,5	4	14	5		003119	003118
49,2	12	1,5	4	26	5		003121	003120
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	[°]		


150515

Turnover Knives HW with 2 cutting edges - interrupted cutting edges

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in hoggers

Design

| chip breakers for optimum cut division

| cutting material: HW

| HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes


| packing unit: 10 pieces

B	H	S	Ø d	Wedge	Ident-No.
20 [mm]	12 [mm]	1.5 [mm]	4 [mm]	55 [°]	055905


150518

Turnover Knives HW with 4 cutting edges - interrupted cutting edges

Product



Drawing



tungsten carbide [HW]

Machine / Application

Design

| chip breakers for optimum cut division

| cutting material: HW

| HL Solid 25 for hard and soft woods

Advantages

Notes

| packing unit: 10 pieces


B	H	S	Ø d	Wedge	Ident-No.
15 [mm]	15 [mm]	2 [mm]	4 [mm]	55 [°]	167873

151558

Profile knives HW - for dove-tail profiles

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for dove-tail cutterheads
Hundegger

Design

cutting material: HW
HL Solid 25 for hard and soft
woods

Advantages

Notes

packing unit per single profile
10 pieces


B	H	S	Ø d	L	Wedge	Profile	Ident-No.
39,5	15.68	2	4	26	55	A	185205 s
39,5	15.68	2	4	26	55	B	185206 s
39,5	15.68	2	4	26	55	C	185207 s
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		

150523 / 150525

Profile Knives HW with 1 cutting edge, end sharpened

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for use in shank-type cutters

Design

cutting material: HW
HW HL Board 03 for wood-
based panels and plastics
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces

B	H	S	Ø d	L	Wedge	LEUCODUR	Ident-No.
16	7	1.5	3,4	7	55	HL Board 03	180262
23	7	1.5	3,4	14	55	HL Board 05	182697
28	7	1.5	3,4	14	55	HL Board 03	180260
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		


150515

Turnover Knives HW with 2 cutting edges - Leitz

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in Leitz cutterheads

Design

| cutting material: HW HL Board
05 for wood-based panels,
plastics and hard woods

Advantages

Notes


| packing unit: 10 pieces

B	H	S	Ident-No.
14,7	8	1.5	181504
19,7	8	1.5	181505
30	8	1.5	181506
35	8	1.5	181507
40	8	1.5	181508
50	8	1.5	181509
60	8	1.5	181510
80	8	1.5	181511
[mm]	[mm]	[mm]	


150518 / 150519

Turnover Knives HW with 4 cutting edges with countersink - EWD, Hundegger

Product



Drawing



tungsten carbide [HW]

Machine / Application

| machines EWD, Hundegger
| for use in cutterheads

Design

| cutting material: HW
| HL Solid 20 for hard and soft
woods
| HL Solid 30 for hard and soft
woods
| HL Solid 60 for soft woods

Advantages

Notes

| packing unit: 10 pieces

B	H	S	Ø d	Wedge	LEUCODUR	Ident-No.
21	21	5.5	7,3	40	HL Solid 20 EWD	184786
21	21	5.5	7,3	40	HL Solid 30 Hundegger	180639
21	21	5.5	7,3	40	HL Solid 60 Hundegger	180638
[mm]	[mm]	[mm]	[mm]	[°]		


150518 / 150519

Turnover Knives HW with 4 cutting edges and countersink

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- | machines Homag, Fischer Brugg
- | for the use as flat scraper on Homag edge banding machines FA20
- | for use in edge jointing cutterheads
- | for use in spiral cutterheads
- | for use in cutterheads

Design

Advantages

Notes

- | packing unit: 10 pieces


B	H	S	Ø d	Wedge	LEUCODUR		Ident-No.
13,6	13,6	2	6,3	45	HL Solid 40	Fischer Brugg	163829
14,3	14,3	2,5	6,3	45	HL Solid 25	IMA	183828
14,3	14,3	2,5	6,3	55	HL Solid 25	Homag (FA20)	170248
15	15	2,5	6,2	50	HL Solid 25	Chamfering Cutterhead	181243
15	15	2,5	6,4	60	HL Solid 25	with rounded edges (R=50 mm for Ø D<100 mm)	180454
15	15	2,5	6,4	60	HL Solid 25	with rounded edges (R=150 mm for Ø D>100 mm)	185274
20	14,3	2,5	6,3	55	HL Solid 15	Homag	168509
22	22	2,0	6,5	60	HL Solid 25	Weinig	185277
[mm]	[mm]	[mm]	[mm]	[°]			

150558/132821

Triangular Spur HW with 3 cutting edges

Product

Drawing



tungsten carbide [HW]

Machine / Application

| for use in Leitz cutterheads

Design

| cutting material: HW
 | HL Solid 25 for hard and soft woods
 | HL Solid 30 for hard and soft woods

Advantages

Notes

| packing unit: 10 pieces


B	H	S	Ø d	Corner	LEUCODUR	Ident-No.
22	19.05	2	6,5	60	HL Solid 25	180779
22,9	19.8	2.5	6,4	60	HL Solid 30	183685
[mm]	[mm]	[mm]	[mm]	[°]		

150553 / 150555 / 150759 / 150758

Turnover Spurs HW with 4 cutting edges and countersink

Product

Drawing



tungsten carbide [HW]

Machine / Application

| for use in cutterheads

Design

| Topline (polished face and micro-ground clearance angle)

Advantages

| significantly improved cutting edges
 | excellent cutting quality especially in solid woods

Notes

| Ident-No. 167777 for scoring device of the HOLZ-HER vertical panel sizing saw
 | * marking for easier mounting
 | packing unit: 10 pieces

B	H	S	Ø d	Wedge	LEUCODUR	Ident-No.
10,5	10.5	1.5	4	55	HL Solid 25 Lestro	176719
14	14	1.2	8,6	60	HL Solid 40	163701
14	14	1.2	8,6	60	HL Solid 40 HOLZ-HER	167777
14	14	2	6,3	60	HL Solid 25 Topline	176341
14	14	2	6,3	60	HL Solid 40 Weinig	003079
14	14	2	6,3	60	HL Board 05	180954
14	14	2	6,3	60	HL Board 03	180646
15	15	2.5	6,2	60	HL Solid 25 Weinig	185276
[mm]	[mm]	[mm]	[mm]	[°]		


150558

Turnover spurs HW

Product



Drawing



tungsten carbide [HW]

Machine / Application

Design

- | cutting edge with scoring cut
- | cutting material: HW
- | HL Solid 15 for wood-based panels, hard and soft woods

Advantages

- | chip-free hole edges thanks to cutting edge with scoring cut

Notes

- | packing unit: 10 pieces

Dimension

LEUCODUR

Ident-No.

18x6x3,5
[mm]

HL Board 15

181263




332121

Turnover Knives HS with 2 cutting edges - Weinig

Product

Drawing



High Speed Steel [HS]

Machine / Application

for use in Weinig planing
cutterheads Centrolock for
planing of soft woods

Design

cutting material: high speed
steel (HS 18%) for soft woods

Advantages

high planing quality and long
edge lives

Notes

packing unit: 2 pieces


B	H	S	Ident-No.
20	16	3	184334 o
60	16	3	184335 o
80	16	3	184336 o
100	16	3	184337 o
130	16	3	184338
150	16	3	184339 o
170	16	3	184340
180	16	3	184341 o
190	16	3	184342 o
210	16	3	184343 o
230	16	3	184344 o
240	16	3	184345
260	16	3	184346 o
270	16	3	184347 o
285	16	3	184331 o
310	16	3	184348 o
460	16	3	184349 o
[mm]	[mm]	[mm]	

150518

Turnover Knives HW with 2 cutting edges - Weinig

Product

Drawing



tungsten carbide [HW]

Machine / Application	Design	Advantages	Notes
for use in Weinig planing cutterheads Centrolock for planing of glued soft woods, hard woods and MDF	cutting material: HW HL Solid 25 for hard and soft woods	high planing quality and long edge lives	packing unit: 2 pieces


B	H	S	Ident-No.
20	16	3	181593 o
60	16	3	181594 o
80	16	3	181595 o
100	16	3	181596
130	16	3	181597
150	16	3	181598 o
170	16	3	181599
180	16	3	181600 o
190	16	3	181601 o
210	16	3	181602 o
230	16	3	181603 o
240	16	3	181604
260	16	3	181605 o
270	16	3	181606 o
310	16	3	181607 o
460	16	3	181608 o
[mm]	[mm]	[mm]	

332751

Turnover Knives SP with 2 cutting edges - Torsa

Product

Drawing



Alloyed Steel

Machine / Application

Design

Advantages

Notes

I for use in Torsa planing
cutterheads

I SP - 13% chrome - special steel

I packing unit: 2 pieces

B	H	S	Ident-No.
60	10	2.3	175405 o
70	10	2.3	175406 o
80	10	2.3	175407 o
90	10	2.3	175408 o
100	10	2.3	175409 o
110	10	2.3	175410 o
120	10	2.3	175411 o
130	10	2.3	175412 o
140	10	2.3	175413 o
150	10	2.3	175414 o
160	10	2.3	175415 o
170	10	2.3	175416 o
180	10	2.3	175417 o
185	10	2.3	175418 o
190	10	2.3	175419 o
200	10	2.3	175420 o
210	10	2.3	175421 o
220	10	2.3	175422 o
230	10	2.3	175423 o
240	10	2.3	175424 o
250	10	2.3	175425 o
260	10	2.3	175426 o
265	10	2.3	175427 o
270	10	2.3	175428 o
280	10	2.3	175429 o
290	10	2.3	175430 o
300	10	2.3	175431 o
310	10	2.3	175432 o
315	10	2.3	175433 o
320	10	2.3	175434 o
330	10	2.3	175435 o
340	10	2.3	175436 o
350	10	2.3	175437 o
360	10	2.3	175438 o
370	10	2.3	175439 o
380	10	2.3	175440 o
390	10	2.3	175441 o
400	10	2.3	175442 o
410	10	2.3	175443 o
420	10	2.3	175444 o
430	10	2.3	175445 o
440	10	2.3	175446 o
450	10	2.3	175447 o
460	10	2.3	175448 o
[mm]	[mm]	[mm]	

B	H	S	Ident-No.
470	10	2.3	175449 o
480	10	2.3	175450 o
490	10	2.3	175451 o
500	10	2.3	175452 o
510	10	2.3	175453 o
520	10	2.3	175454 o
530	10	2.3	175455 o
540	10	2.3	175456 o
550	10	2.3	175457 o
560	10	2.3	175458 o
570	10	2.3	175459 o
580	10	2.3	175460 o
590	10	2.3	175461 o
600	10	2.3	175462 o
610	10	2.3	175463 o
620	10	2.3	175464 o
630	10	2.3	175465 o
635	10	2.3	175466 o
637	10	2.3	175467 o
640	10	2.3	175468
650	10	2.3	175469 o
[mm]	[mm]	[mm]	




332751

Turnover Knives HS with 2 cutting edges - Tersa

Product

Drawing



High Speed Steel [HS]

Machine / Application

Design

Advantages

Notes

I for use in Tersa planing
cutterheads

I cutting material: HS

I packing unit: 2 pieces

B	H	S	Ident-No.
60	10	2.3	175305 o
80	10	2.3	175307 o
90	10	2.3	175308 o
100	10	2.3	175309 o
110	10	2.3	175310 o
120	10	2.3	175311 o
130	10	2.3	175312 o
140	10	2.3	175313 o
150	10	2.3	175314 o
160	10	2.3	175315 o
170	10	2.3	175316 o
180	10	2.3	175317 o
185	10	2.3	175318 o
190	10	2.3	175319 o
200	10	2.3	175320 o
210	10	2.3	175321 o
220	10	2.3	175322 o
230	10	2.3	175323 o
240	10	2.3	175324 o
250	10	2.3	175325 o
260	10	2.3	175326 o
265	10	2.3	175327 o
270	10	2.3	175328 o
280	10	2.3	175329 o
300	10	2.3	175331 o
310	10	2.3	175332
320	10	2.3	175334 o
330	10	2.3	175335 o
350	10	2.3	175337 o
360	10	2.3	175338 o
400	10	2.3	175342 o
410	10	2.3	175343
420	10	2.3	175344 o
430	10	2.3	175345 o
450	10	2.3	175347 o
500	10	2.3	175352 o
510	10	2.3	175353
520	10	2.3	175354
530	10	2.3	175355 o
540	10	2.3	175356 o
610	10	2.3	175363 o
630	10	2.3	175365
635	10	2.3	175366 o
640	10	2.3	175368
[mm]	[mm]	[mm]	


B	H	S	Ident-No.
650	10	2.3	175369 o
[mm]	[mm]	[mm]	

132751

Turnover Knives HW with 2 cutting edges - Tersa

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

I for use in Tersa planing
cutterheads

Design

I cutting material: HW

Advantages

I optimal precision as manuf-
actured from one piece up to
B=650 mm

Notes

I packing unit 2 pieces

B	H	S	Ident-No.
60	10	2.3	175205 o
70	10	2.3	175206 o
80	10	2.3	175207 o
90	10	2.3	175208 o
100	10	2.3	175209 o
110	10	2.3	175210 o
120	10	2.3	175211 o
130	10	2.3	175212 o
140	10	2.3	175213 o
150	10	2.3	175214 o
160	10	2.3	175215 o
170	10	2.3	175216 o
180	10	2.3	175217 o
185	10	2.3	175218 o
190	10	2.3	175219 o
200	10	2.3	175220 o
210	10	2.3	175221 o
220	10	2.3	175222 o
230	10	2.3	175223 o
240	10	2.3	175224 o
250	10	2.3	175225 o
260	10	2.3	175226 o
265	10	2.3	175227 o
270	10	2.3	175228 o
280	10	2.3	175229 o
290	10	2.3	175230 o
300	10	2.3	175231 o
310	10	2.3	175232 o
315	10	2.3	175233 o
320	10	2.3	175234 o
330	10	2.3	175235 o
340	10	2.3	175236 o
350	10	2.3	175237 o
360	10	2.3	175238 o
370	10	2.3	175239 o
380	10	2.3	175240 o
390	10	2.3	175241 o
400	10	2.3	175242 o
[mm]	[mm]	[mm]	


B	H	S	Ident-No.
410	10	2.3	175243 o
420	10	2.3	175244 o
430	10	2.3	175245 o
440	10	2.3	175246 o
450	10	2.3	175247 o
460	10	2.3	175248 o
470	10	2.3	175249 o
480	10	2.3	175250 o
490	10	2.3	175251 o
500	10	2.3	175252 o
510	10	2.3	175253
520	10	2.3	175254 o
530	10	2.3	175255 o
540	10	2.3	175256 o
550	10	2.3	175257 o
560	10	2.3	175258 o
570	10	2.3	175259 o
580	10	2.3	175260 o
590	10	2.3	175261 o
600	10	2.3	175262 o
610	10	2.3	175263 o
620	10	2.3	175264 o
630	10	2.3	175265 o
635	10	2.3	175266 o
640	10	2.3	175268 o
650	10	2.3	175269 o
[mm]	[mm]	[mm]	

332121

Turnover Knives HS with 2 cutting edges - Centrostar, Centrofix, Quickfix

Product

Drawing



High Speed Steel [HS]

Machine / Application

for use in planing cutterhead systems Centrostar, Centrofix and Quickfix for planing of soft woods

Design

cutting material: HS for soft woods
constant diameter

Advantages

high planing quality and long edge lives

Notes

packing unit 2 pieces


B	H	S	Ident-No.
80	12	2.7	182769 o
100	12	2.7	182770 o
130	12	2.7	182771 o
150	12	2.7	182772 o
170	12	2.7	182773 o
180	12	2.7	182774 o
190	12	2.7	182775 o
210	12	2.7	182776 o
230	12	2.7	182777 o
240	12	2.7	182778 o
310	12	2.7	182779 o
410	12	2.7	182780 o
510	12	2.7	182782 o
520	12	2.7	182781 o
640	12	2.7	182783 o
[mm]	[mm]	[mm]	

150518

Turnover Knives HW with 2 cutting edges - Centrostar, Centrofix, Quickfix

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in planing cutterhead systems Centrostar, Centrofix and Quickfix for planing of hard woods and MDF

Design

cutting material: HW
HL Solid 25 for hard and exotic woods
constant diameter

Advantages

high planing quality and long edge lives

Notes

a cutting length of more than 630 mm is reached by means of several knives
packing unit 2 pieces

B	H	S	Ident-No.
100	12	2.7	182784 o
130	12	2.7	182785 o
150	12	2.7	182786 o
170	12	2.7	182787 o
180	12	2.7	182788 o
190	12	2.7	182789 o
210	12	2.7	182790 o
230	12	2.7	182791 o
240	12	2.7	182792 o
410	12	2.7	182793 o
510	12	2.7	182794 o
640	12	2.7	182795 o
[mm]	[mm]	[mm]	

165512

Centering points HW

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

Design

- | with surface on shank for set screw
- | cutting material: HW
- | HL Solid 40 for hard and soft woods

Advantages

Notes

- | packing unit: 10 pieces

Ø D

L1

Ident-No.

3

33.5

162624

[mm]

[mm]




150535

Mini Turnover Knives HW with 2 cutting edges

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in shank-type cutter-heads

Design

| cutting material: HW
| HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes


| packing unit: 10 pieces

B	H	S	Ident-No.
12	5.5	1.1	162670
20	5.5	1.1	160623
40	5.5	1.1	160674
50	5.5	1.1	163572
[mm]	[mm]	[mm]	


150535

Mini Turnover Knives HW with 2 cutting edges, end sharpened

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in shank-type cutters

Design

| cutting material: HW
| HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

| packing unit: 10 pieces


B	H	S	Ident-No.
12	5.5	1.1	168696
20	4.1	1.1	173480
20	5.5	1.1	173481
25	5.5	1.1	173793
30	5.5	1.1	173482
50	5.5	1.1	173483
[mm]	[mm]	[mm]	

150535

Mini Turnover Knives HW with 2 cutting edges, end bevel

Product

Drawing



tungsten carbide [HW]

Machine / Application

- | CNC machining centers
- | for use in shank-type cutters

Design

- | cutting material: HW
- | HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

- | packing unit: 10 pieces


B	H	S	Ident-No.
39,8	5.5	1.1	163211 o
[mm]	[mm]	[mm]	

150549

Portable Planer Turnover Knives HW with 2 cutting edges and edge bevel

Product

Drawing



tungsten carbide [HW]

Machine / Application

| portable planers

Design

| cutting material: HW
| HL Solid 40 for hard and soft woods

Advantages

Notes


| Ident-No. 166381 can only be used in the original ELU clamping element
| packing unit: 10 pieces

B	H	S	Clearance $\angle 1$		Ident-No.
75,5	5.5	1.1	1.5	AEG HTH 75, Bosch 0590, P400, 1590, 1591, Festo REP 75, Haffner FH 222, HOLZ-HER 2223, 2286, 2320, Kress Jet Star 6701, Mafell HU 75, Metabo 6375, Scheer MH 80, MH 75/3, Skil 98 H	162439
75,7	5.5	1.2	8	Black&Decker DN 750	166079 o
80,5	5.9	1.2	8	ELU MFF 80	166381
82	5.5	1.1	3	AEG, Fein, Haffner, Hitachi, Mafell, Makita, Metabo, Bosch, Black&Decker DN712	165617
102	5.5	1.1	3	AEG EH 102, HB 750	419671 o
[mm]	[mm]	[mm]	[°]		


151545

Radius Profile Knives HW with 2 cutting radii and bottom chamfer - Homag, IMA

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for use in edge rounding
cutterheads

Design

cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces

R	B	H	S	Ø d	L		Ident-No.
2	20,5	15	2	3	12	Homag	163062 s
3	20,8	15	2	3	12	Homag	163063
5	30	17	2	3	20	Homag	163065
4	20,8	15	2	3	12	Homag	163064 s
6	30,5	17	2	3	20	Homag	163066
8	30,5	17	2	3	20	Homag	163068 s
2	20,8	14.7	2	3	12	IMA	164166 s
3	20,8	14.7	2	3	12	IMA	164167 s
4	20,8	14.7	2	3	12	IMA	164168 s
5	30,5	16.5	2	3	20	IMA	164169 s
6	30,5	16.5	2	3	20	IMA	164170 s
7	30,5	16.5	2	3	20	IMA	164171 s
8	30,5	16.5	2	3	20	IMA	164172 s
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		


151545 / 151585

Radius Profile Knives HW with 2 cutting radii and bottom chamfer

Product



Drawing



tungsten carbide [HW]

Machine / Application

- type A for use in edge rounding cutterheads
- type B for use in scraper holders

Design

- cutting material: HW
- HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

- packing unit: 10 pieces


R	B	H	S	Ø d	Profile run-out	Type	Ident-No.
2	12	12	1.5	4	5	A	HOLZ-HER
3	12	12	1.5	4	5	A	HOLZ-HER
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		
R	B	H	S	Ø d	Profile run-out	Type	Ident-No.
2	16	15.5	2	4,4	10	A	Brandt
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		
R	B	H	S	Ø d	Profile run-out	Type	Ident-No.
1,5	16	17.5	2	4,4	10	A	HOLZ-HER, Homag, Ott, IMA, Wilmsmeyer, Brandt
2	16	17.5	2	4,4	10	A	HOLZ-HER, Homag, Ott, IMA, Wilmsmeyer, Brandt
2	16	17.5	2	4,4	10	A	Brandt
2,5	16	17.5	2	4,4	10	A	
3	16	17.5	2	4,4	10	A	HOLZ-HER, Homag, Ott, IMA, Wilmsmeyer, Brandt
3	16	17.5	2	4,4	10	A	Brandt
4	16	17.5	2	4,4	10	A	HOLZ-HER, Homag, Ott, IMA, Wilmsmeyer, Brandt
5	16	17.5	2	4,4	10	A	HOLZ-HER, Homag, Ott, IMA, Wilmsmeyer, Brandt
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		
R	B	H	S	Ø d	Profile run-out	Type	Ident-No.
2	16	17.5	2	3	10	B	IMA, Wilmsmayer, Torwegge
2,5	16	17.5	2	3	10	B	IMA, Wilmsmayer, Torwegge
3	16	17.5	2	3	10	B	IMA, Wilmsmayer, Torwegge
4	16	17.5	2	3	10	B	IMA, Wilmsmayer, Torwegge
5	16	17.5	2	3	10	B	IMA, Wilmsmayer, Torwegge
[mm]	[mm]	[mm]	[mm]	[mm]	[°]		

151545 / 151585

Radius Profile Knives HW with 2 cutting radii

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in edge rounding
cutterheads

Design

cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces


R	B	H	S	Ø d	Profile run-out	Ident-No.
2	12	13	2	5	10	Brandt 177033
2,5	12	13	2	4	10	173707
3	12	13	2	5	10	Brandt 177032
6	24	22	2	4,4	10	Homag, Ott 170258
8	24	22	2	4,4	10	Homag, Ott 170260
9	24	22	2	4,4	10	Homag, Ott 170261 #
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	

151555

Radius Profile Knives HW symmetrical with 2 cutting radii

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in edge banding /
rounding cutterheads

Design

cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces

R	B	H	S	Ø d	Profile run-out	Ident-No.
2	13	16	2	4	5	162794
3	13	16	2	4	5	162795
4	13	16	2	4	5	162565
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	

R	B	H	S	Ø d	Profile run-out	Ident-No.
2	13	16	2	4	15	IMA 172713
3	13	16	2	4	15	IMA 172714
4	13	16	2	4	15	IMA 172715 #
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	


151555

Radius Turnover Knives HW symmetrical with 2 cutting radii

Product



Drawing



tungsten carbide [HW]

Machine / Application

for use in edge banding /
rounding cutterheads

Design

5 degree profile run-out
cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes


packing unit: 10 pieces

R	B	H	S	Ø d	Ident-No.
5	20	21	2	4	162566
6	20	21	2	4	162567
7	20	21	2	4	162568 #
8	20	21	2	4	162569
9	26	24	2	4	162796
10	26	24	2	4	162570
11	26	24	2	4	162571
12	26	24	2	4	162572
[mm]	[mm]	[mm]	[mm]	[mm]	


151555

Radius Turnover Knives HW with 2 cutting radii

Product



Drawing



tungsten carbide [HW]

Machine / Application

for use in edge rounding
cutterheads

Design

cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces


R	B	H	S	Ø d		Ident-No. [L]	Ident-No. [R]
3	20	16	2	3		168355	168356
2	30	14	2	4	Reich	177136 s	177135 s
2,5	30	14	2	4	Reich	177138 #	177137 #
3	30	14	2	4	Reich	177140 #	177139
[mm]	[mm]	[mm]	[mm]	[mm]			

151545 / 151586

Radius Profile Knives HW with 1 cutting radius and bottom chamfer

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

I for use in edge rounding
cutterheads

Design

I cutting material: HW
I HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

I packing unit: 10 pieces


R	B	H	S	Ø d	LEUCODUR	Ident-No. [L]	Ident-No. [R]
2	12	14.5	2	4	HL Board 05	172142	172141
2,5	12	14.5	2	4	HL Board 05	171224	171223
3	12	14.5	2	4	HL Board 05	172144	172143
2,5	14,5	14.5	2	5	HL Board 06	181657	181658
[mm]	[mm]	[mm]	[mm]	[mm]			

151545

Radius Profile Knives HW with 1 cutting radius

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

I for use in rounding cutterheads

Design

I cutting material: HW
I HL Board 05 and HL Board 06
for wood-based panels, plastics
and hard woods

Advantages

Notes

I packing unit: 10 pieces


R	B	H	S	Ø d	Profile run- out	LEUCODUR	Ident-No. [L]	Ident-No. [R]
2	12	15	2	4	10	HL Board 06	177034	177038
1,5	12	17	2	5	13	Homag HL Board 05	177605	177606
2	12	17	2	5	13	Homag HL Board 05	177607	177608
2,5	12	17	2	5	13	Homag HL Board 05	177609 #	177610 #
3	12	17	2	5	13	Homag HL Board 05	177611	177612
2	12	18	2	4	11	HL Board 05		172725
3	12	18	2	4	11	HL Board 05		172726 #
1	13	15	2	4	10	HL Board 06	180722	180721
1,5	13	15	2	4	10	HL Board 06	181954	181953
2	13	15	2	4	10	HL Board 06	181956	181955
2,5	13	15	2	4	10	HL Board 06	180728	180727
3	13	15	2	4	10	HL Board 06	181957	181958
4	14	17	2	4	10	HL Board 05	177036 #	177040 #
2	15	14.5	2	4	15	HL Board 05	177317	177318
[mm]	[mm]	[mm]	[mm]	[mm]	[°]			

R	B	H	S	Ø d	Profile run-out	LEUCODUR	Ident-No. [L]	Ident-No. [R]
2,5	15	14.5	2	4	15	HL Board 05	177319	177320
3	15	14.5	2	4	15	HL Board 05	177321	177322
5	15	17	2	4	10	HL Board 05	177037	177041
3	15	18.4	2	4	5	HL Board 05	168272 #	168279 #
4	15	18.4	2	4	5	HL Board 05	168273 #	168280 #
5	15	18.4	2	4	5	HL Board 05	168274 #	168281
6	15	21.6	2	4	5	HL Board 05	168286 #	168293 s
8	15	21.6	2	4	5	HL Board 05	168288 #	168295 #
2	16,1	14	2	4	15	HL Board 05	178219	178218
3	16,1	14	2	4	15	HL Board 05	178221	178220
2	19,6	15.2	2	4	15	HL Board 05	173817	173816
3	19,6	15.2	2	4	15	HL Board 05	173393	173392
9	20	25.8	2	4	5	HL Board 05	168301 s	168310 s
10	20	25.8	2	4	5	HL Board 05	168302 s	168311 s
12	20	25.8	2	4	5	HL Board 05	168304 s	168313
[mm]	[mm]	[mm]	[mm]	[mm]	[°]			


151545

Radius Profile Knives HW with 1 cutting radius - Homag, IMA

Product



Drawing



tungsten carbide [HW]

Machine / Application

| machine Homag, IMA
 | for use in rounding cutterheads

Design

| 5 degree profile run-out
 | cutting material: HW
 | HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes


R	B	H	S	Ø d	L		Ident-No. [L]	Ident-No. [R]
10	21,8	20	2	3	12	Homag	163071 #	163072
12	21,8	20	2	3	12	Homag	163075 s	163076 #
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]			
R	B	H	S	Ø d	L		Ident-No. [L]	Ident-No. [R]
9	21,8	19.5	2	3	12	IMA	164173 s	164174 s
10	21,8	19.5	2	3	12	IMA	164175 s	164176 s
11	21,8	19.5	2	3	12	IMA	164177 s	164178 s
12	21,8	19.5	2	3	12	IMA	164179 s	164180 s
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]			

151545

Radius Profile Knives HW with 1 cutting radius - IMA

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in machines IMA
for use in rounding cutterheads

Design

15 degree profile run-out
cutting material: HW
HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

packing unit: 10 pieces



R	B	H	S	Ø d	Ident-No. [L]	Ident-No. [R]
2	12	18	2	5	180174	180173
3	12	18	2	5	180176	180175
[mm]	[mm]	[mm]	[mm]	[mm]		

151545

Chamfering Knives HW with 2 cutting radii

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in edge rounding
cutterheads

Design

cutting material: HW
HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

Ident-No. 180792 for Modula
packing unit: 10 pieces


Chamfer	B	H	S	Ø d	Ident-No.
45	12	12	1.5	4	180792
45	12	12	1.5	4	171190
45	16	17.5	2	3	169292
45	16	17.5	2	4,3	170329
[°]	[mm]	[mm]	[mm]	[mm]	

151545 / 151546

Chamfering Knives HW with 1 cutting radius

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

machining centers Homag
for use in chamfering cutter-
heads

Design

cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods
HL Board 06 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces


Chamfer	B	H	S	Ø d	LEUCODUR	Ident-No. [L]	Ident-No. [R]
5	12	16	2	5	HL Board 06	179174	179173
15	12	16	2	4	HL Board 05	177042	177045
30	13,5	16	2	4	HL Board 05	177043	177046
45	12	16	2	4	HL Board 05	177822	177823
45	15	16	2	4	HL Board 05	177044 s	177047 s
[°]	[mm]	[mm]	[mm]	[mm]			

151519

Profile Turnover Knives HW for aluminum composite materials - HOLZ-HER, 90 degrees

Product

Drawing



tungsten carbide [HW]

Machine / Application

vertical panel sizing saws
HOLZ-HER
for use in 90 degree Folding
cutterhead Ident-No. 182616
for the machining of aluminum
composite materials

Design

cutting material: HW
HL Solid 40 for hard and soft
woods

Advantages

Notes

packing unit: 10 pieces


B	H	S	Ø d	◊	Ident-No.
14 [mm]	14 [mm]	2 [mm]	6,4 [mm]	90 [°]	182079

151516

Profile Turnover Knives HW for aluminum composite materials - HOLZ-HER, 135 degrees

Product

Drawing



tungsten carbide [HW]

Machine / Application

vertical panel sizing saws
HOLZ-HER
for use in 135 degree Folding
cutterhead Ident-No. 703144
for the machining of aluminum
composite materials

Design

cutting material: HW
HL Board 06 for wood-based
panels, plastics and hard
woods

Advantages

Notes

packing unit: 10 pieces


B	H	S	Ø d	◊	Ident-No.
20 [mm]	18 [mm]	2 [mm]	5,7 [mm]	135 [°]	182080 s

151586

Radius Profile Knives HW - Brandt

Product

Drawing



tungsten carbide [HW]

Machine / Application

edge banding machines Brandt since date of fabrication 2005
for use in rounding cutterheads with special chip removing design

Design

cutting material: HW
HL Board 06 for wood-based panels, plastics and hard woods

Advantages

Notes

packing unit: 10 pieces


R	B	H	S	Ø d	Ident-No. [L]	Ident-No. [R]
1,5	22,32	14	2	5	183068 s	183067 s
2	22,32	14	2	5	182332	182331
2,5	22,32	14	2	5	182368	182367
3	22,32	14	2	5	182334	182333
[mm]	[mm]	[mm]	[mm]	[mm]		

151586

Chamfering Profile Knives HW - Brandt

Product

Drawing



tungsten carbide [HW]

Machine / Application

edge banding machines Brandt since date of fabrication 2005
for use in rounding cutterheads with special chip removing design

Design

cutting material: HW
HL Board 06 for wood-based panels, plastics and hard woods

Advantages

Notes


packing unit: 10 pieces

Chamfer	B	H	S	Ø d	Ident-No. [L]	Ident-No. [R]
45	22,32	14	2	5	182667	182666
[°]	[mm]	[mm]	[mm]	[mm]		


150515 / 151545

Profile Knives HW for ornamental groove cutterheads


Product



Drawing



tungsten carbide [HW]



Machine / Application

| for use in ornamental groove cutterheads

Design

| cutting material: HW
| HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

| packing unit: 10 pieces

B	H	S	Ø d	Ident-No.
12	12	1.5	4	003080
12	12	1.5	4	171177 #
11	12	1.5	4	171175 #
11	12	1.5	4	171172
12	12	1.5	4	171216
11	12	1.5	4	171173
[mm]	[mm]	[mm]	[mm]	


151548

Profile Knives HW for stile-and-rail profile cutterheads and panel raising cutterheads

Product



Drawing



Machine / Application

I type 1, 2, 3 for use in stile-and-rail profile cutterheads
 I type 4, 5, 6 for use in panel-raising cutterheads

Design

I cutting material: HW
 I HL Solid 25 for hard and soft woods

Advantages

Notes

I packing unit: 10 pieces

R	B	H	S	Ø d	L	Type	Ident-No.
4,5	19,3	24,5	2	3,5	11,2	1	165912 #
6,5	16,3	24,5	2	3,5	8,3	2	166127 #
7	13,3	24,5	2	3,5		3	167469 #
4,5	19	25	2	3,5	9	4	165930 #
5	19	25	2	3,5	9	5	165932 #
4,5	16	22,5	2	4		6	168883
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		


151548

Miter Glue Joint Profile Knives HW

Product



Drawing



Machine / Application

I for use in miter glue joint cutterheads

Design

I cutting material: HW
 I HL Solid 25 for hard and soft woods

Advantages

I very accurate profiling for optimum glue joints

Notes


I packing unit: 10 pieces

Chamfer	B	H	S	Ø d	L	Ident-No.
86	39,5	12	1,5	4	26	165916
[°]	[mm]	[mm]	[mm]	[mm]	[mm]	


151558

Glue Joint Profile Turnover Knives HW

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in glue joint cutterheads

Design

| cutting material: HW
| HL Solid 25 for hard and soft woods

Advantages

| very accurate profiling for optimum glue joints

Notes


| packing unit: 10 pieces

B	H	S	Ø d	L	Ident-No.
50	21.6	2	4	26	165911
60	21.6	2	4	32	165909
[mm]	[mm]	[mm]	[mm]	[mm]	


151598

Glue Joint Profile Turnover Knives HW Set

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in adjustable glue joint cutterheads

Design

| cutting material: HW
| HL Solid 25 for hard and soft woods

Advantages

| very accurate profiling for optimum glue joints

Notes

| set consists of 4 pieces
Ident-No. 167977, 4 pieces
Ident-No. 167976
| packing unit: 10 pieces

B	H	S	Ø d	L	Ident-No.
42	20	2	4	26	168240
[mm]	[mm]	[mm]	[mm]	[mm]	

132891

Turnover Knife Holders - Ledinek Rotoles

Product



Drawing



tungsten carbide [HW]

Machine / Application

- planing machines Ledinek Rotoles
- for LEUCODUR turnover knives straight and with chamfer

Design

- for mounting of LEUCODUR turnover knives 14 x 14 mm and 14.3 x 14.3 mm

Advantages

Notes

Ident-No.

for thicknesser (TOK 14x14x2) top

182082 o

for service planing rotor (TOK 14x14x2) bottom

182083 o

for thicknesser segments (TOK 14,3x14,3x2,5) top

182084 o

for service planing rotor segments (TOK 14,3x14,3x2,5) bottom

182085 o

Spare parts

Dimension

Class-No.

Ident-No.

Countersunk Flat Headed Screws

M5x9 T20 D=Ø9,3
[mm]

995125

827277


150553 / 150555 / 150558 / 150559

Profile Turnover Knives HW with 4 cutting edges - Ledinek Rotoles

Product



Drawing



tungsten carbide [HW]

Machine / Application

- planing machines Ledinek Rotoles
- for use in turnover knife holders for plain milling

Design

- cutting material: HW
- HL Board 03 for wood-based panels and plastics
- HL Board 05 for wood-based panels, plastics and hard woods
- HL Solid 15 for wood-based panels, hard and soft woods
- HL Solid 40 for hard and soft woods

Advantages


Notes

- packing unit: 10 pieces

B	H	S	Ø d	Wedge	LEUCODUR	Ident-No.
14	14	2	6,3	60	HL Solid 40	003079
14	14	2	6,3	60	HL Board 05	180954
14	14	2	6,3	60	HL Board 03	180646
14,3	14.3	2.5	6,3	55	HL Solid 25	170248
[mm]	[mm]	[mm]	[mm]	[°]		


150558

Profile Turnover Knives HW with 4 cutting edges and chamfer - Ledinek Rotoles


Product		Drawing			 tungsten carbide [HW]		
							
Machine / Application		Design		Advantages		Notes	
I planing machines Ledinek Rotoles I for use in turnover knife holders for plain milling		I cutting material: HW I HL Solid 15 for wood-based panels, hard and soft woods I HL Solid 25 for hard and soft woods				I packing unit: 10 pieces	
B	H	S	Ø d	Wedge	LEUCODUR	Ident-No. [L]	Ident-No. [R]
14	14	2	6,4	60	HL Solid 25	180933	180932
14,3	14.3	2.5	6,4	55	HL Solid 15	181144	181143
[mm]	[mm]	[mm]	[mm]	[°]			

150558

Profile Turnover Knives HW with 4 cutting edges and radius - Ledinek Rotoles


Product		Drawing			LEUCODUR tungsten carbide [HW]		
							
Machine / Application		Design		Advantages		Notes	
- planing machines Ledinek Rotoles - for use in turnover knife holders for plain milling		- cutting material: HW - HL Solid 15 for wood-based panels, hard and soft woods - HL Solid 25 for hard and soft woods				packing unit: 10 pieces	
B	H	S	Ø d	Wedge	LEUCODUR	Ident-No. [L]	Ident-No. [R]
14	14	2	6,4	60	HL Solid 25	182442	182441
14,3	14.3	2.5	6,4	55	HL Solid 15	182444	182443
[mm]	[mm]	[mm]	[mm]	[°]			

151527
SuperProfiler Knives HW „Multi-Profile“


Product		Drawing		 tungsten carbide [HW]
				
Machine / Application		Design		
table shapers for use in SuperProfiler cutterheads Ident-No. 167897 and 167894		cutting material: HW HL Solid 25 for hard and soft woods		Notes
				for cutting of various profiles in one or more steps profile examples see Technical Appendix
PU				Ident-No.
12				169273 s
[pc.]				

SuperProfiler „Multi-Profile“


1 Operation



2 Operations



Several operations




150508

Grooving Turnover Knives HW with 4 cutting edges - miter glue joint cutterheads

Product

Drawing



tungsten carbide [HW]

Machine / Application

| for use in miter glue joint
cutterheads

Design

| cutting material: HW
| HL Solid 15 for wood-based
panels, hard and soft woods

Advantages

| very accurate profiling for
optimum glue joints

Notes

| in conjunction with profile
knife Ident-No. 165916
| packing unit: 10 pieces

Chamfer $\angle$
 $\varnothing D$

S

 $\varnothing d$

Ident-No.

15
[°]

25
[mm]

4.6
[mm]

5,4
[mm]


165918

150578

Chamfering Turnover Knives HW with 4 cutting edges

Product

Drawing



tungsten carbide [HW]

Machine / Application

| for use in cutterheads for
chamfering

Design

| cutting material: HW
| HL Solid 15 for wood-based
panels, hard and soft woods

Advantages

Notes

| packing unit: 10 pieces

Chamfer $\angle$
 $\varnothing D$

S

 $\varnothing d$

Ident-No. [L]

Ident-No. [R]

45
[°]

25
[mm]

5
[mm]

7
[mm]

165966

165965


150508

Grooving Turnover Knives HW with 4 cutting edges - grooving cutterheads

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in grooving cutterheads

Design

| cutting material: HW
| HL Solid 15 for wood-based panels, hard and soft woods

Advantages

Notes


| Ident-No. 163699 for groove width 4 mm
| Ident-No. 165906 for groove width 5 mm
| Ident-No. 169250 for groove width > 7 mm
| packing unit: 10 pieces

B	H	S	Ø d	Ident-No.
18	18	1.95	10	163699
18	18	2.5	10	165906
18	18	3.7	10	169250
[mm]	[mm]	[mm]	[mm]	


150509

Grooving Turnover Knives HW with 2 cutting edges and positioning groove

Product



Drawing



tungsten carbide [HW]

Machine / Application

| for use in cutterheads for grooving

Design

| bore countersunk 90 degrees
| cutting material: HW
| HL Solid 30 and HL Solid 40 for hard and soft woods

Advantages

| high accuracy thanks to radial positioning
| more simple handling

Notes

| spacer rings for the adjustment of the rounding knives see chapter replacement parts
| packing unit 10 pieces


B	H	S	Ø d	Tmax	LEUCODUR	Ident-No.
13	36	3.5	7,4	10	HL Solid 30 no radial positioning	165968
16	34	3.2	6,7	8	HL Solid 40	183663
16	34	3.5	6,7	8	HL Solid 40	183664
16	34	4	6,7	8	HL Solid 40	183665
16	34	5	6,7	8	HL Solid 40	183666
[mm]	[mm]	[mm]	[mm]	[mm]		

150578

Chamfering Turnover Knives HW with 4 cutting edges and positioning groove

Product

Drawing



LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for use in cutterheads for chamfering

Design

cutting material: HW
HL Solid 15 for wood-based panels, hard and soft woods

Advantages

high accuracy thanks to radial positioning
more simple handling

Notes

for clockwise and counter-clockwise rotation
spacer rings for the adjustment of the chamfer knives see chapter replacement parts
packing unit: 10 pieces


Chamfering	B	H	S	Ø d	Ident-No.
45 [°]	16 [mm]	22 [mm]	5 [mm]	6,5 [mm]	183668

150578

Rounding Turnover Knives HW with 4 cutting edges and positioning groove

Product

Drawing



LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for use in cutterheads for rounding

Design

cutting material: HW
HL Solid 15 for wood-based panels, hard and soft woods

Advantages

high accuracy thanks to radial positioning
radii are interchangeable
more simple handling

Notes

for clockwise and counter-clockwise rotation
spacer rings for the adjustment of the rounding knives see chapter replacement parts
packing unit: 10 pieces


R	B	H	S	Ø d	Ident-No.
1,5	16	22	5	6,5	183669
2	16	22	5	6,5	183670
2,5	16	22	5	6,5	183671
3	16	22	5	6,5	183672
[mm]	[mm]	[mm]	[mm]	[mm]	

132891

Scrapper Holders - Homag, Reich, IMA

Product

Drawing



tungsten carbide [HW]

Machine / Application

Design

Advantages

Notes

- edge banding machines
Homag, Reich
- for installation of LEUCODUR
radius-, chamfering- and
scraper turnover knives

B	H	Ø d	L1		Ident-No.
for R ≤ 5 15	16	6,5	131	Homag, Reich	169252
for R ≤ 5 22	14	6,5	118	Homag	179463
[mm]	[mm]	[mm]	[mm]		

Spare parts

Dimension

Class-No.

Ident-No.


Round Head Screws	M4x5,9 T15	995195	167966
Screwdrivers	T15	985730	163161
Screwdrivers	T15x80	985730	171188
	[mm]		

151555

Scrapper Turnover Knives HW with 2 cutting edges and chamfer - Homag, IMA, Reich

Product

Drawing



tungsten carbide [HW]

Machine / Application

Design

Advantages

Notes

- edge banding machines
Homag, IMA, Reich
- for use in scraper holders
- chamfer angle 45 degrees
- cutting material: HW
- HL Board 05 for wood-based
panels, plastics and hard
woods

- packing unit: 10 pieces


B	H	S	Ø d	Ident-No.
12	20	2	4	171180
[mm]	[mm]	[mm]	[mm]	

151555

Scaper Turnover Knives HW with 2 cutting edges and radius - Homag, HOLZ-HER, Reich

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- edge banding machines
- Homag, HOLZ-HER, Reich
- for use in scraper holders

Design

- 6 degree profile run-out
- cutting material: HW
- HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

- packing unit: 10 pieces


R	B	H	S	Ø d	Ident-No.
0,8	12	20	2	4	171401 s
1	12	20	2	4	169253
1,5	12	20	2	4	169254
2	12	20	2	4	169255
2,5	12	20	2	4	169256
3	12	20	2	4	169257
4	12	20	2	4	169259 #
5	12	20	2	4	169261
[mm]	[mm]	[mm]	[mm]	[mm]	

151755

Scaper Turnover Knives HW with 2 cutting edges and radius - Homag,HOLZ-HER, Reich (chamfer to prevent material fracturing)

Product

Drawing


LEUCO
topline

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- edge banding machines
- Homag, HOLZ-HER, Reich
- for use in scraper holders

Design

- 6 degree profile run-out
- special scraper which avoids material fracturing
- cutting material: HW
- HL Board 05 for wood-based panels, plastics and hard woods

Advantages

- no material fracturing also in the case of PP-edges
- no additional work steps needed


Notes

- packing unit: 10 pieces

R	B	H	S	Ø d	Ident-No.
1,5	12	20	2	4	181234
2	12	20	2	4	181235
3	12	20	2	4	181237
[mm]	[mm]	[mm]	[mm]	[mm]	


151555

Scrapper Turnover Knives HW with 2 cutting edges and radius - IMA

Product		Drawing			
				 tungsten carbide [HW]	
Machine / Application		Design		Advantages	
edge banding machines IMA for use in scraper holders		15 degree profile run-out cutting material: HW HL Board 05 for wood-based panels, plastics and hard woods		packing unit: 10 pieces	
R	B	H	S	Ø d	Ident-No.
0,8	12	20	2	4	184788 s
1	12	20	2	4	178856
1,3	12	20	2	4	184791 s
1,5	12	20	2	4	185179
2	12	20	2	4	178957
2,5	12	20	2	4	184794 s
3	12	20	2	4	178857
[mm]	[mm]	[mm]	[mm]	[mm]	

151755

Scrapper Turnover Knives HW with 2 cutting edges and radius - IMA (chamfer to prevent material fracturing)


Product		Drawing			
				  tungsten carbide [HW]	
Machine / Application		Design		Advantages	
edge banding machines IMA for use in scraper holders		15 degree profile run-out special scraper which avoids material fracturing cutting material: HW HL Board 05 for wood-based panels, plastics and hard woods		no material fracturing also in the case of PP-edges no additional work steps needed	
R	B	H	S	Ø d	Ident-No.
0,8	12	20	2	4	184789 s
1	12	20	2	4	184790 s
1,3	12	20	2	4	184792 s
1,5	12	20	2	4	184793 s
2	12	20	2	4	181236
2,5	12	20	2	4	184795 s
3	12	20	2	4	181238
[mm]	[mm]	[mm]	[mm]	[mm]	

151586

Scrapper Turnover Knives HW with 2 cutting edges and radius - IMA (asymmetrical)

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- edge banding machines IMA
- for use in scraper holders

Design

- asymmetrical
- 15 degree profile run-out
- cutting material: HW
- HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

- packing unit: 10 pieces


R	B	H	S	Ø d	Ident-No.
0,8	12	20	2	4	184796 s
1	12	20	2	4	184798 s
1,3	12	20	2	4	184800 s
1,5	12	20	2	4	184802 s
2	12	20	2	4	184804 s
2,5	12	20	2	4	184807 s
3	12	20	2	4	184809 s
[mm]	[mm]	[mm]	[mm]	[mm]	

151755

Scaper Turnover Knives HW with 2 cutting edges and radius - IMA (asymmetrical, chamfer to prevent material fracturing)

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

edge banding machines IMA
for use in scraper holders

Design

asymmetrical
15 degree profile run-out
cutting edge with chamfer to
prevent material fracturing
cutting material: HW
HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

no material fracturing also in the
case of PP-edges
no additional work steps needed

Notes

packing unit: 10 pieces


R	B	H	S	Ø d	Ident-No.
0,8	12	20	2	4	184797 s
1	12	20	2	4	184799 s
1,3	12	20	2	4	184801 s
1,5	12	20	2	4	184803 s
2	12	20	2	4	184806 s
2,5	12	20	2	4	184808 s
3	12	20	2	4	184810 s
[mm]	[mm]	[mm]	[mm]	[mm]	

151586

Scrapper Knives HW with 2 cutting edges and radius - working centers (avoids material fracturing)

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

machines Homag combined
with flush-cutting unit No.
1-056-11-0621

Design

6 degree profile run-out
cutting material: HW
HL Board 06 for wood-based
panels, plastics and hard
woods
special scrapper which avoids
material fracturing

Advantages

no material fracturing also in the
case of PP-edges
no additional work steps needed


Notes

packing unit: 10 pieces

R	B	H	S	Ø d		Ident-No.
1,5	20	11.5	2	5		180025 s
2	20	11.5	2	5		180020 s
2,5	20	11.5	2	5		180021 s
3	20	11.5	2	5		180022 s
4	20	11.5	2	5		185295 s
[mm]	[mm]	[mm]	[mm]	[mm]		
R	B	H	S	Ø d		Ident-No.
1	20	11.5	2	5	topline	185159 s
1,5	20	11.5	2	5	topline	185160 s
2	20	11.5	2	5	topline	185161 s
2,5	20	11.5	2	5	topline	185162 s
3	20	11.5	2	5	topline	185163 s
[mm]	[mm]	[mm]	[mm]	[mm]		


151586

Scrapper Knives HW with 2 cutting edges and chamfer (glue joint) - working centers

Product		Drawing			
				 tungsten carbide [HW]	
Machine / Application		Design	Advantages	Notes	
machines Homag combined with flush-cutting unit No. 1-056-11-0621		cutting material: HW HL Board 06 for wood-based panels, plastics and hard woods		packing unit: 10 pieces	
Chamfer	B	H	S	Ø d	Ident-No.
3	20	11.5	2	5	180023 s
15	20	11.5	2	5	180210 s
30	20	11.5	2	5	180211 s
45	20	11.5	2	5	185296 s
[°]	[mm]	[mm]	[mm]	[mm]	

151586

Chip Breakers HW for Scraper Knives


Product		Drawing			
				 tungsten carbide [HW]	
Machine / Application		Design	Advantages	Notes	
machines Homag combined with flush-cutting unit No. 1-056-11-0621		6 degree profile run-out cutting material: HW HL Board 06 for wood-based panels, plastics and hard woods		packing unit: 10 pieces	
R	B	H	S	Ø d	Ident-No.
1,3	20	11.5	2	5	180024
[mm]	[mm]	[mm]	[mm]	[mm]	

151586

Scrapper Knives HW with 5 cutting edge and chamfer

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

| machines Homag with scraping unit Type MN 20

Design

| chamfer 20 degrees, R1, R1.5, R2, R3, R5
| cutting material: HW
| HL Board 06 for wood-based panels, plastics and hard woods

Advantages

Notes

| Ident-No. 180755 can be applied on the left lower or the right upper side
| Ident-No. 180754 can be applied on the left upper or the right lower side
| packing unit: 10 pieces


R	B	H	S	Ø d	Ident-No. [L]	Ident-No. [R]
1-5	45,8	17.98	2	5	180755	180754
[mm]	[mm]	[mm]	[mm]	[mm]		

151786

Scrapper Turnover Knives HW with 5 radii and chamfer - to prevent material fracturing

Product

Drawing


LEUCO
topline

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

| machines Homag with scraping unit Type MN 20

Design

| chamfer 20 degree, R1, R1.5, R2, R3, R5 or chamfer 20 degree, R1, R1.5, R2, R2.5, R3
| cutting edge with chamfer to prevent material fracturing
| cutting material: HW
| HL Board 06 for wood-based panels, plastics and hard woods
| Topline (polished face and micro-ground clearance angle)

Advantages

| no material fracturing also in the case of PP-edges
| no additional work steps needed

Notes

| Ident-No. 181239 and 184669 can be applied on the left lower or the right upper side
| Ident-No. 181240 and 184670 can be applied on the left upper or the right lower side
| packing unit 10 pieces


R	B	H	S	Ø d		Ident-No. [L]	Ident-No. [R]
1; 1,5; 2; 3; 5	45,8	17.98	2	5	Topline	181240	181239
1; 1,5; 2; 2,5; 3	45,8	17.02	2	5		184670	184669
[mm]	[mm]	[mm]	[mm]	[mm]			

151548

Scaper Knives HW with 1 cutting edge and chamfer

Product

Drawing



tungsten carbide [HW]

Machine / Application

machines IMA units 181.91 and 0.6126 (BAZ) with 30 mm width, unit 08.50 with 55 mm width

Design

cutting material: HW
HL Solid 15 for wood-based panels, hard and soft woods

Advantages

Notes

packing unit: 2 pieces


Chamfer $\angle$	B	H	S	$\varnothing d$	Ident-No. [L]	Ident-No. [R]
15	30	22.5	3	5,8	178859	178858
15	55	25	3	5,8	178861	178860
[°]	[mm]	[mm]	[mm]	[mm]		

132821

Glue Joint Scaper Turnover Knives (flat scaper) HW - Homag aggregate FA10, FA11, FA12

Product

Drawing



tungsten carbide [HW]

Machine / Application

machines Homag aggregate FA10, FA11, FA12

Design

HW-tipped
cutting material: HW
HL Solid 15 for wood-based panels, hard and soft woods

Advantages


Notes

packing unit: 2 pieces

Chamfer $\angle$	B	H	S	$\varnothing d$	Ident-No. [L]	Ident-No. [R]
15	32	55	4.5	5,8	178223	178224
[°]	[mm]	[mm]	[mm]	[mm]		

132821

Scraper Turnover Knives HW with 3 cutting edges - Biesse

Product		Drawing				
				 tungsten carbide [HW]		
Machine / Application		Design		Advantages	Notes	
machines Biesse-Polymax		cutting material: HW HL Solid 30 for wood-based panels, hard and soft woods			packing unit: 10 pieces	
B	H	S	Ø d	Corner	LEUCODUR	Ident-No.
22,9 [mm]	19.8 [mm]	2.5 [mm]	6,4 [mm]	60 [°]	HL Solid 30	183685 o

150518

Scraper Turnover Knives HW with 2 cutting edges - IMA


Product		Drawing			
				 tungsten carbide [HW]	
Machine / Application		Design		Advantages	Notes
machines IMA		cutting material: HW HL Solid 25 for hard and soft woods			packing unit: 10 pieces
B	H	S	Ø d		Ident-No.
11 [mm]	14.3 [mm]	2.5 [mm]	4 [mm]		184350

151515

Scrapper Turnover-Knives HW with 4 cutting edges - HOLZ-HER

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

| edge banding machines
HOLZ-HER

Design

| cutting material: HW
| HL Board 05 for wood-based
panels, plastics and hard
woods

Advantages

Notes

| packing unit: 10 pieces


B	H	S	Ø d	Wedge	◊	Ident-No.
14	14	2	6,4	60	10	185180
[mm]	[mm]	[mm]	[mm]	[°]	[°]	

151586

Scrapper Knives HW with 1 cutting edge and radius or chamfer - Ott

Product

Drawing


LEUCO
DUR

tungsten carbide [HW]

Machine / Application

| edge banding machines Ott

Design

| 10 degree profile run-out
| cutting material: HW
| HL Board 05 for wood-based
panels, plastics and hard
woods



Advantages

Notes

| packing unit: 2 pieces

R	Chamfer	B	H	S	Ident-No.
1		12,29	13.49	3.3	185019
2		12,29	13.49	3.3	185020
3		12,29	13.49	3.3	185021
4		12,31	12.69	3.3	185022
5		12,31	12.4	3.3	185023
	30	12,83	12.86	3.3	185024
[mm]	[°]	[mm]	[mm]	[mm]	

150503
Cup Knives HW


Product			Drawing			 tungsten carbide [HW]		
								
Machine / Application			Design			Advantages		
for use in side-and-face cutterheads			cutting material: HW HL Board 03 for wood-based panels and plastics			extremely long edge lives		
						Notes		
						packing unit: 10 pieces		
</								

153306 / 153308

Saw Teeth HW for Circular Saw Blades - solder coated

Product

Drawing



tungsten carbide [HW]

Machine / Application

Design

- | solder-coated
- | cutting material: HW
- | HL Board 06 for wood-based panels, plastics and hard woods
- | HL Solid 15 for wood-based panels, hard and soft woods

Advantages

- | easy soldering during tooth installation thanks to solder coating

Notes

B	H	S	LEUCODUR	Ident-No.
2,7	7.1	2	HL Board 06	177493 s
2,8	8	2.3	HL Solid 15	177500 s
3,6	8	2.3	HL Board 06	177494
4,2	10.5	3.5	HL Solid 15	177501
4,5	8	2.3	HL Board 06	177495
4,3	10.5	3	HL Board 06	177496
5	10.5	3	HL Board 06	177497
5,4	10.5	3	HL Board 06	177498
6	12.5	4	HL Solid 15	177586
6,8	12.5	4	HL Board 06	177499
[mm]	[mm]	[mm]		


332121

Planing Knives HS

Product



Drawing



High Speed Steel [HS]

Machine / Application

| for use in planing cutterheads

Design

| cutting material: high speed steel (HS 18%) for soft woods
| wedge angle 40°

Advantages

Notes

| from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
| packing unit 2 pieces

B	H	S	Ident-No.
60	30	3	160593
80	30	3	160594
100	30	3	055647
110	30	3	160595 o
120	30	3	160596
130	30	3	006139
150	30	3	160597
170	30	3	160598
180	30	3	160599
210	30	3	160600
230	30	3	160601
260	30	3	006485
310	30	3	160602
310	35	3	165310
320	30	3	160603
320	35	3	165311 o
330	30	3	160604 o
330	35	3	165312
360	30	3	160605 o
360	35	3	165313 o
400	30	3	165307
400	35	3	165314 o
410	30	3	006486
410	35	3	006487
450	30	3	160606 o
450	35	3	165315 o
460	30	3	160607 o
460	35	3	165316 o
500	30	3	165308
500	35	3	165317
510	30	3	006488
510	35	3	006489
600	30	3	165309 o
600	35	3	165318 o
610	30	3	006490
610	35	3	006491
630	30	3	160608
630	35	3	165319
635	35	3	165320 o
640	30	3	160609
640	35	3	165321
[mm]	[mm]	[mm]	

B	H	S	Ident-No.
700	35	3	165322 o
710	30	3	160610 o
710	35	3	165323 o
740	35	3	165324 o
810	30	3	160612
810	35	3	165325
840	30	3	160613 o
1050	30	3	176331
1050	35	3	176332
1200	30	3	180535
[mm]	[mm]	[mm]	


332121

Planing knife HS for hydro and jointing

Product



Drawing



High Speed Steel [HS]

Machine / Application

for use in hydro planing
cutterheads

Design

cutting material: HS for soft
woods
wedge angle 30° for jointing

Advantages

high run-out accuracy due
to grinding the knives in the
hydro planing cutterhead with
following jointing process in the
machine

Notes

from safety reasons please
always mount knives and
support plates with equal
weight (packing unit VE)
opposite each other
packing unit 2 pieces

B	H	S	Ident-No.
130	30	3	182759 o
150	30	3	182760 o
170	30	3	182761 o
180	30	3	182762 o
190	30	3	182763 o
210	30	3	182764 o
230	30	3	182765 o
240	30	3	182766 o
270	30	3	182767 o
310	30	3	182768 o
[mm]	[mm]	[mm]	


132121

Planing Knives HW

Product



Drawing



tungsten carbide [HW]

Machine / Application

I for use in planing cutterheads

Design

I cutting material: HW-tipped for hard woods

Advantages

Notes

I from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
I packing unit 2 pieces

B	H	S	H1	Ident-No.
60	30	3	11	160586
80	30	3	11	006204
100	30	3	11	006205
110	30	3	11	165329 o
120	30	3	11	006206 o
130	30	3	11	006207
150	30	3	11	006208
170	30	3	11	006209
180	30	3	11	055649
210	30	3	11	006210 o
230	30	3	11	160588
240	30	3	11	182641
260	30	3	11	160589 o
310	30	3	11	055648
310	35	3	11	165338 o
320	30	3	11	165330 o
320	35	3	11	165339 o
330	30	3	11	165331 o
330	35	3	11	165340 o
360	30	3	11	165332 o
360	35	3	11	165341 o
400	35	3	11	165342 o
410	30	3	11	006211
410	35	3	11	165343 o
450	30	3	11	165333 o
450	35	3	11	165344 o
460	30	3	11	165334 o
460	35	3	11	165345 o
500	35	3	11	165346 o
510	30	3	11	006212
510	35	3	11	165347 o
600	35	3	11	165348 o
610	30	3	11	006704
610	35	3	11	165349 o
630	30	3	11	165335 o
630	35	3	11	165350 o
635	35	3	11	165351 o
640	30	3	11	165336 o
640	35	3	11	165352 o
700	35	3	11	165353 o
710	30	3	11	160590 o
[mm]	[mm]	[mm]	[mm]	

B	H	S	H1	Ident-No.
710	35	3	11	165354 o
740	30	3	11	165337 o
740	35	3	11	165355 o
810	30	3	11	160592
810	35	3	11	165356 o
[mm]	[mm]	[mm]	[mm]	


332511

Planing Knives with serrated back HS

Product



Drawing



High Speed Steel [HS]

Machine / Application

for use in cutterheads with serration

Design

cutting material: HS for soft woods

Advantages

Notes

- from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
- also for Weinig Powermat machines, RPM up to 12,000 min⁻¹
- packing unit 2 pieces

B	H	S	Ident-No.
100	38	5	182096 s
130	38	5	182097 s
170	38	5	182098 s
190	38	5	182099 s
230	38	5	182100 s
240	38	5	182101 s
[mm]	[mm]	[mm]	


332511

Planing Knives with serrated back HS - Quicklock

Product



Drawing



High Speed Steel [HS]

Machine / Application

for use in hydro planing
cutterheads Quicklock with
serration

Design

cutting material: HS for soft
woods

Advantages

Notes

from safety reasons please
always mount knives and
support plates with equal
weight (packing unit VE)
opposite each other
packing unit 2 pieces


B	H	S	Ident-No.
100	30	4	183354 o
130	30	4	183355 o
150	30	4	183356 o
180	30	4	183357 o
210	30	4	183358 o
230	30	4	183359 o
240	30	4	183360 o
270	30	4	183361 o
310	30	4	183362 o
320	30	4	183363 o
100	35	4	183364 o
130	35	4	183365 o
150	35	4	183366 o
180	35	4	183367 o
210	35	4	183368 o
230	35	4	183369 o
240	35	4	183370 o
270	35	4	183371 o
310	35	4	183372 o
320	35	4	183373 o
[mm]	[mm]	[mm]	

152548

SetProfiler set - planing

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

- | molders
- | for use in profile cutterheads with serration

Design

- | n max = 12,000 min-1
- | cutting material: HW
- | HL Solid 30 Topline for hard and soft woods
- | HW Topcoat
- | Topline (polished face)

Advantages

- | significantly improved cutting edges
- | excellent cutting quality
- | compared to uncoated HW-Blanks the edge lives is 2 - 3 times as long
- | adjustable knives by means of serration between knife and support plate; 5 adjustments of 1,6 mm = 8 mm sharpening area

Notes

- | from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
- | packing unit 2 pieces

B	H	S	Ident-No.
310	38	10	181974 o
[mm]	[mm]	[mm]	

Blanks	B	H	S	Class-No.	Ident-No.
HW Blanks	310	38	3.2	152548	181975 o
HW Topcoat Blanks	250	38	3.2	152548	181976 o
	[mm]	[mm]	[mm]		


Support plates	B	Suitable for blank height	Class-No.	Ident-No.
	250	38	925400	181977 o
	310	38	925400	181978 o
	[mm]	[mm]		

152548

SetProfiler set - profiling

Product

Drawing

LEUCO
toplineLEUCO
DUR

tungsten carbide [HW]

Machine / Application

- | molders
- | for use in profile cutterheads with serration

Design

- | cutting material: HW
- | HL Solid 30 for hard and soft woods
- | HW Topcoat
- | Topline (polished face)

Advantages

- | significantly improved cutting edges
- | excellent cutting quality
- | compared to uncoated HW-Blanks the edge lives is 2 - 3 times as long
- | high economic efficiency thanks to reduced use of grinding wheels, as knives and support plates are profiled separately whereas only the knives are re-ground
- | adjustable knives by means of serration between knife and support plate; 5 adjustments of 1,6 mm = 8 mm sharpening area

Notes

- | serration 60 degrees and partition 1,6 mm for profiling of solid woods and wood-based panels
- | blank height 50 and 60 mm for RPM up to 12,000 min-2
- | T = profile depth
- | from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
- | packing unit 2 pieces

B	H	S	Tmax	Ident-No.
40	50	10	14	181637 o
50	50	10	14	181638 o
60	50	10	14	181639 o
70	50	10	14	181640 o
80	50	10	14	181641 o
100	50	10	14	182182 o
130	50	10	14	182183 o
150	50	10	14	182184 o
250	50	10	14	181642 o
40	60	10	24	181643 o
50	60	10	24	181644 o
60	60	10	24	181645 o
70	60	10	24	181646 o
80	60	10	24	181647 o
100	60	10	24	182322 o
130	60	10	24	182323 o
150	60	10	24	182324 o
250	60	10	24	181648 o
40	70	10	34	181649 o
50	70	10	34	181650 o
60	70	10	34	181651 o
70	70	10	34	181652 o
80	70	10	34	181653 o
250	70	10	34	181654 o
[mm]	[mm]	[mm]	[mm]	

HW Blanks Topline

B	H	S	T	Class-No.	Ident-No.
40	50	3.2	14	152548	181619
50	50	3.2	14	152548	181620 o
60	50	3.2	14	152548	181621
70	50	3.2	14	152548	181622 o
[mm]	[mm]	[mm]	[mm]		

HW Blanks Topline	B	H	S	T	Class-No.	Ident-No.
	80	50	3.2	14	152548	181623 o
	100	50	3.2	14	152548	182179
	130	50	3.2	14	152548	182180
	150	50	3.2	14	152548	182181 o
	250	50	3.2	14	152548	181624
	40	60	3.2	24	152548	181625
	50	60	3.2	24	152548	181626 o
	60	60	3.2	24	152548	181627
	70	60	3.2	24	152548	181628 o
	80	60	3.2	24	152548	181629
	100	60	3.2	24	152548	182319
	130	60	3.2	24	152548	182320 o
	150	60	3.2	24	152548	182321 o
	250	60	3.2	24	152548	181630
	40	70	3.2	34	152548	181631 o
	50	70	3.2	34	152548	181632 o
	60	70	3.2	34	152548	181633 o
	70	70	3.2	34	152548	181634 o
	80	70	3.2	34	152548	181635 o
	250	70	3.2	34	152548	181636
	[mm]	[mm]	[mm]	[mm]		
HW Topcoat Blanks	B	H	S	T	Class-No.	Ident-No.
	40	50	3.2	14	152548	181665 o
	50	50	3.2	14	152548	181666 o
	60	50	3.2	14	152548	181667 o
	70	50	3.2	14	152548	181668 o
	80	50	3.2	14	152548	181669 o
	100	50	3.2	14	152548	182188 o
	130	50	3.2	14	152548	182189 o
	150	50	3.2	14	152548	182190 o
	250	50	3.2	14	152548	181670 o
	40	60	3.2	24	152548	181671 o
	50	60	3.2	24	152548	181672 o
	60	60	3.2	24	152548	181673 o
	70	60	3.2	24	152548	181674 o
	80	60	3.2	24	152548	181675 o
	100	60	3.2	24	152548	182328 o
	130	60	3.2	24	152548	182329 o
	150	60	3.2	24	152548	182330 o
	250	60	3.2	24	152548	181676 o
	[mm]	[mm]	[mm]	[mm]		
Support plates	B	Suitable for blank height			Class-No.	Ident-No.
	40	50			925400	181820
	50	50			925400	181821 o
	60	50			925400	181822
	70	50			925400	181823
	80	50			925400	181824
	100	50			925400	182185
	130	50			925400	182186
	150	50			925400	182187 o
	250	50			925400	181825 o
	40	60			925400	181826
	50	60			925400	181827
	60	60			925400	181828
	70	60			925400	181829
	80	60			925400	181830
	100	60			925400	182325
	130	60			925400	182326 o
	150	60			925400	182327 o
	250	60			925400	181831 o
	40	70			925400	181832 o
	[mm]	[mm]				

Support plates	B	Suitable for blank height	Class-No.	Ident-No.
	50	70	925400	181833 o
	60	70	925400	181834 o
	70	70	925400	181835 o
	80	70	925400	181836 o
	250	70	925400	181837 o
	[mm]	[mm]		


332511

Blanks with serrated back HS for profiling

Product



Drawing



High Speed Steel [HS]

Machine / Application

I for use in profile cutterheads with serration

Design

I cutting material: HS for soft woods

Advantages

Notes

I T = profile depth
 I from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
 I packing unit 2 pieces

B	H	S	Tmax	Ident-No.
40	50	8	12	163385
40	60	8	20	163386
40	70	8	30	163387
50	50	8	12	180533
50	60	8	20	180534
60	50	8	12	163388
60	60	8	20	163389
60	70	8	30	163390
80	50	8	12	163391
80	60	8	20	163392
80	70	8	30	163393
100	50	8	12	163394
100	60	8	20	163395
100	70	8	30	163396
130	50	8	12	163397
130	60	8	20	163398
130	70	8	30	163399
150	50	8	12	163400
150	60	8	20	163401
150	70	8	30	163402
180	50	8	12	163403
180	60	8	20	163404
180	70	8	30	163405
230	50	8	12	164495
230	60	8	20	164496 o
650	50	8	12	176318
650	60	8	20	176319
650	70	8	30	176320
[mm]	[mm]	[mm]	[mm]	


132511

Blanks with serrated back HW for profiling

Product



Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for use in profile cutterheads with serration

Design

HW-tipped for hard and exotic woods
tipping height 14 mm for blank height 50 mm, tipping height 20 mm for blank height 60 mm

Advantages

Notes

T = profile depth
from safety reasons please always mount knives and support plates with equal weight (packing unit VE) opposite each other
packing unit 2 pieces

B	H	S	Tmax	Ident-No.
40	50	10	13	165357
40	60	10	18	165365
60	50	10	13	165358
60	60	10	18	165366
80	50	10	13	165359 o
80	60	10	18	165367
100	50	10	13	165360
100	60	10	18	165368
130	50	10	13	165361 o
130	60	10	18	165369
150	50	10	13	165362 o
150	60	10	18	165370 o
180	50	10	13	165363 o
180	60	10	18	165371 o
230	50	10	13	165364 o
230	60	10	18	165372 o
[mm]	[mm]	[mm]	[mm]	


332521

Blanks HS and Deflector Blanks for profiling

Product



Drawing



High Speed Steel [HS]

Machine / Application

I for use in safety cutterheads

Design

I cutting material: HS for soft woods
I profile depth 15 mm max.

Advantages

Notes

I special steel deflector blanks


B	H	S	Ø d	Tmax	Ident-No.
40	45	4	6	15	163535
50	45	4	6	15	163513 o
[mm]	[mm]	[mm]	[mm]	[mm]	

Deflectors for profiling	B	H	S	Ø d	T	Class-No.	Ident-No.
	40	45	4	6	15	925400	163536
	50	45	4	6	15	925400	163514 o
	[mm]	[mm]	[mm]	[mm]	[mm]		


152555

Blanks HW - central bore

Product



Drawing



tungsten carbide [HW]

Machine / Application

I for use in profile cutterheads

Design

I width, height, and thickness
precision ground
I cutting material: HW
I HL Board 05 for wood-based panels, plastics and hard woods

Advantages

Notes

I packing unit: 10 pieces


B	H	S	Ø d	L	Ident-No.
24	22	2	4,2		168821
28	24	2	4,2		168822 #
32	24	2	4,2		168823
36	28	2	4,2		168824
40	26	2	4,2		168825 #
42	32	2	4,2	24	168826
52	34	2	4,2	24	168828
[mm]	[mm]	[mm]	[mm]	[mm]	

152555

Blanks HW - central bore, ground on both sides

Product

Drawing



tungsten carbide [HW]

Machine / Application

| for use in profile cutterheads

Design

| width, height, and thickness
 precision ground
 | cutting material: HW
 | HL Board 05 for wood-based
 panels, plastics and hard
 woods

Advantages

Notes

| packing unit: 10 pieces


B	H	S	Ø d	L	Wedge	Ident-No.
30	25	2	4,2	20	55	168871 #
40	30	2	4,2	20	55	168872
50	45	2	4,2	34	55	168873
60	25	2	4,2	26	55	168836
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	

152545

Blanks HW - bore not central

Product

Drawing



tungsten carbide [HW]

Machine / Application

| for use in profile cutterheads

Design

| width, height, and thickness
 precision ground
 | cutting material: HW
 | HL Board 05 for wood-based
 panels, plastics and hard
 woods


Advantages

Notes

| packing unit: 10 pieces

B	H	S	Ø d	L	Ident-No.
18	18.3	2	4,2		168829
20	25.3	2	4,2		168830
24	28.3	2	4,2		168831
32	22.3	2	4,2		168832
40	30.3	2	4,2		168833
50	32.3	2	4,2	24	168834
[mm]	[mm]	[mm]	[mm]	[mm]	

152545
Blanks HW - bore not central, ground seating surface


Product		Drawing				
				 tungsten carbide [HW]		
Machine / Application		Design		Advantages		
for use in profile cutterheads		width, height, and thickness precision ground cutting material: HW HL Board 05 for wood-based panels, plastics and hard woods		Notes		
				packing unit: 10 pieces		
B	H	S	Ø d	L	Wedge	Ident-No.
40	20.5	2	4,2	26	55	168838
52	27.5	2	4,2	26	55	168839
60	39.5	2	4,5	44	55	168840
[mm]	[mm]	[mm]	[mm]	[mm]	[°]	

152586 / 152589

3P-Blanks HW (upright format)

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in LEUCO EcoPro and special cutterheads

Design

two-point seating surface and point-stop
 optionally Topline (polished face)
 cutting material: HW
 HL Board 06 for wood-based panels, plastics and hard woods
 HL Solid 60 for soft woods

Advantages

precise positioning of the blanks for profiling and of the single-sided profile knife in the cutterhead
 Topline design: highest cutting quality and significantly improved cutting edges

Notes

profile knife can be profiled per customer specifications
 packing unit: 10 pieces

B	H	S	Ø d	LEUCODUR	Ident-No.
12,5	20,5	2	5	HL Board 06	178509
15,5	20,5	2	5	HL Board 06	178510
15,5	25,5	2	5	HL Board 06	178511
16,4	20,5	2	5	HL Board 06	178512
16,7	25,9	2	5	HL Board 06	178513
18,4	18,9	2	5	HL Board 06	178514
18,4	25,9	2	5	HL Board 06	178515
18,4	36,3	2	5	HL Board 06	178516
20,3	20,5	2	5	HL Board 06	178517
20,3	25,5	2	5	HL Board 06	178518
20,3	30,4	2	5	HL Board 06	178519
22,3	25,5	2	5	HL Board 06	178520
24,3	20,9	2	5	HL Board 06	178521
24,3	28,4	2	5	HL Board 06	178522
25,3	25,9	2	5	HL Board 06	178523
25,3	35,3	2	5	HL Board 06	178524
28,2	25,5	2	5	HL Board 06	178525
28,2	35,3	2	5	HL Board 06	178526
12,5	20,5	2	5	HL Solid 60	179509
15,5	20,5	2	5	HL Solid 60	179510
15,5	25,5	2	5	HL Solid 60	179511
16,4	20,5	2	5	HL Solid 60	179512
16,7	25,9	2	5	HL Solid 60	179513
18,4	18,9	2	5	HL Solid 60	179514
18,4	25,9	2	5	HL Solid 60	179515
18,4	36,3	2	5	HL Solid 60	179516
20,3	20,5	2	5	HL Solid 60	179517
20,3	25,5	2	5	HL Solid 60	179518
20,3	30,4	2	5	HL Solid 60	179519
22,3	25,5	2	5	HL Solid 60	179520
24,3	20,9	2	5	HL Solid 60	179521 #
24,3	28,4	2	5	HL Solid 60	179522
25,3	25,9	2	5	HL Solid 60	179523
25,3	35,3	2	5	HL Solid 60	179524
28,2	25,5	2	5	HL Solid 60	179525
28,2	35,3	2	5	HL Solid 60	179526
[mm]	[mm]	[mm]	[mm]		


B	H	S	Ø d	LEUCODUR	Ident-No. [L]	Ident-No. [R]
12,5	20.5	2	5	HL Board 06 Topline	179547 &	179548
15,5	20.5	2	5	HL Board 06 Topline	179549 &	179550 &
15,5	25.5	2	5	HL Board 06 Topline	179551 &	179552 &
16,4	20.5	2	5	HL Board 06 Topline	179553 &	179554 &
16,7	25.9	2	5	HL Board 06 Topline	179555 &	179556 &
18,4	18.9	2	5	HL Board 06 Topline	179557 &	179558 &
18,4	25.9	2	5	HL Board 06 Topline	179559 &	179560 &
18,4	36.3	2	5	HL Board 06 Topline	179561 &	179562 &
20,3	20.5	2	5	HL Board 06 Topline	179563 &	179564 &
20,3	25.5	2	5	HL Board 06 Topline	179565 &	179566 &
20,3	30.4	2	5	HL Board 06 Topline	179567 &	179568 &
22,3	25.5	2	5	HL Board 06 Topline	179569 &	179570 &
24,3	20.9	2	5	HL Board 06 Topline	179571 &	179572 &
24,3	28.4	2	5	HL Board 06 Topline	179573 &	179574 &
25,3	25.9	2	5	HL Board 06 Topline	179575	179576
25,3	35.3	2	5	HL Board 06 Topline	179577 &	179578 &
28,2	25.5	2	5	HL Board 06 Topline	179579	179580
28,2	35.3	2	5	HL Board 06 Topline	179581 &	179582 &
12,5	20.5	2	5	HL Solid 60 Topline	179621 &	179622 &
15,5	20.5	2	5	HL Solid 60 Topline	179623 &	179624 &
15,5	25.5	2	5	HL Solid 60 Topline	179625 &	179626 &
16,4	20.5	2	5	HL Solid 60 Topline	179627 &	179628 &
16,7	25.9	2	5	HL Solid 60 Topline	179629 &	179630 &
18,4	18.9	2	5	HL Solid 60 Topline	179631 &	179632 &
18,4	25.9	2	5	HL Solid 60 Topline	179633 &	179634 &
18,4	36.3	2	5	HL Solid 60 Topline	179635 &	179636 &
20,3	20.5	2	5	HL Solid 60 Topline	179637 &	179638 &
20,3	25.5	2	5	HL Solid 60 Topline	179639 &	179640 &
20,3	30.4	2	5	HL Solid 60 Topline	179641 &	179642 &
22,3	25.5	2	5	HL Solid 60 Topline	179643 &	179644 &
24,3	20.9	2	5	HL Solid 60 Topline	179645 &	179646 &
24,3	28.4	2	5	HL Solid 60 Topline	179647 &	179648 &
25,3	25.9	2	5	HL Solid 60 Topline	179649 &	179650 &
25,3	35.3	2	5	HL Solid 60 Topline	179651 &	179652 &
28,2	25.5	2	5	HL Solid 60 Topline	179653 &	179654 &
28,2	35.3	2	5	HL Solid 60 Topline	179655 &	179656 &
[mm]	[mm]	[mm]	[mm]			

152586 / 152589

3P-Blanks HW (horizontal format)

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in LEUCO EcoPro and special cutterheads

Design

two-point seating surface and point-stop
 optionally Topline (polished face)
 cutting material: HW
 HL Board 06 for wood-based panels, plastics and hard woods
 HL Solid 60 for soft woods

Advantages

precise positioning of the blanks for profiling and of the single-sided profile knife in the cutterhead
 Topline design: highest cutting quality and significantly improved cutting edges

Notes

profile knife can be profiled per customer specifications
 packing unit: 10 pieces

B	H	S	Ø d	L	LEUCODUR	Ident-No.
30,2	25.5	2	5	11,8 - 13,8	HL Board 06	178527
30,2	30.4	2	5	11,8 - 13,8	HL Board 06	178528
32,2	22.8	2	5	11,8 - 13,8	HL Board 06	178529
32,2	35.4	2	5	11,8 - 13,8	HL Board 06	178530
32,8	47.2	2	5	11,8 - 13,8	HL Board 06	178531
35,2	26	2	5	11,8 - 13,8	HL Board 06	178532
40,1	20.9	2	5	21,7 - 25,5	HL Board 06	178533
40,1	30.4	2	5	21,7 - 25,5	HL Board 06	178534
40,8	36	2	5	21,7 - 25,5	HL Board 06	178535
42,8	31	2	5	21,7 - 25,5	HL Board 06	178536
42,8	36	2	5	21,7 - 25,5	HL Board 06	178537
45,8	36	2	5	21,7 - 25,5	HL Board 06	178538
49,9	20.9	2	5	21,7 - 25,5	HL Board 06	178539
49,9	33	2	5	21,7 - 25,5	HL Board 06	178540
49,9	40.2	2	5	21,7 - 25,5	HL Board 06	178541
60,6	25.8	2	5	26 - 22	HL Board 06	178542
59,8	35.4	2	5	25,5 + 43,2	HL Board 06	178543
80,6	35.8	2	5	44	HL Board 06	178544
30,2	25.5	2	5	11,8 - 13,8	HL Solid 60	179527
30,2	30.4	2	5	11,8 - 13,8	HL Solid 60	179528
32,2	22.8	2	5	11,8 - 13,8	HL Solid 60	179529
32,2	35.4	2	5	11,8 - 13,8	HL Solid 60	179530
32,8	47.2	2	5	11,8 - 13,8	HL Solid 60	179531
35,2	26	2	5	11,8 - 13,8	HL Solid 60	179532
40,1	20.9	2	5	21,7 - 25,5	HL Solid 60	179533
40,1	30.4	2	5	21,7 - 25,5	HL Solid 60	179534
40,8	36	2	5	21,7 - 25,5	HL Solid 60	179535
42,8	31	2	5	21,7 - 25,5	HL Solid 60	179536
42,8	36	2	5	21,7 - 25,5	HL Solid 60	179537
45,8	36	2	5	21,7 - 25,5	HL Solid 60	179538
49,9	20.9	2	5	21,7 - 25,5	HL Solid 60	179539
49,9	33	2	5	21,7 - 25,5	HL Solid 60	179540
49,2	40.2	2	5	21,7 - 25,5	HL Solid 60	179541
60,6	25.8	2	5	26 - 22	HL Solid 60	179542
59,8	35.4	2	5	25,5 + 43,2	HL Solid 60	179543
80,6	35.8	2	5	44	HL Solid 60	179544 #
[mm]	[mm]	[mm]	[mm]	[mm]		

B	H	S	Ø d	L	LEUCODUR	Ident-No. [L]	Ident-No. [R]
30,2	25.5	2	5	11,8 - 13,8	HL Board 06 Topline	179583 &	179584 &
30,2	30.4	2	5	11,8 - 13,8	HL Board 06 Topline	179585 &	179586 &
32,2	22.8	2	5	11,8 - 13,8	HL Board 06 Topline	179587 &	179588 &
32,2	35.4	2	5	11,8 - 13,8	HL Board 06 Topline	179589 &	179590 &
32,8	47.2	2	5	11,8 - 13,8	HL Board 06 Topline	179591 &	179592 &
35,2	26	2	5	11,8 - 13,8	HL Board 06 Topline	179593	179594 &
40,1	20.9	2	5	21,7 - 25,5	HL Board 06 Topline	179595 &	179596 &
40,1	30.4	2	5	21,7 - 25,5	HL Board 06 Topline	179597 &	179598 &
40,8	36	2	5	21,7 - 25,5	HL Board 06 Topline	179599 &	179600 &
42,8	31	2	5	21,7 - 25,5	HL Board 06 Topline	179601 &	179602 &
42,8	36	2	5	21,7 - 25,5	HL Board 06 Topline	179603 &	179604 &
45,8	36	2	5	21,7 - 25,5	HL Board 06 Topline	179605 &	179606 &
49,9	20.9	2	5	21,7 - 25,5	HL Board 06 Topline	179607 &	179608 &
49,9	33	2	5	21,7 - 25,5	HL Board 06 Topline	179609 &	179610 &
49,9	40.2	2	5	21,7 - 25,5	HL Board 06 Topline	179611 &	179612 &
60,6	25.8	2	5	22 - 26	HL Board 06 Topline	179613 &	179614 &
59,8	35.4	2	5	25,5 + 43,2	HL Board 06 Topline	179615 &	179616 &
80,6	35.8	2	5	44	HL Board 06 Topline	179617 &	179618 &
30,2	25.5	2	5	11,8 - 13,8	HL Solid 60 Topline	179657 &	179658 &
30,2	30.4	2	5	11,8 - 13,8	HL Solid 60 Topline	179659 &	179660 &
32,2	22.8	2	5	11,8 - 13,8	HL Solid 60 Topline	179661 &	179662 &
32,2	35.4	2	5	11,8 - 13,8	HL Solid 60 Topline	179663	179664 &
32,8	47.2	2	5	11,8 - 13,8	HL Solid 60 Topline	179665 &	179666 &
35,2	26	2	5	11,8 - 13,8	HL Solid 60 Topline	179667	179668
40,1	20.9	2	5	21,7 - 25,5	HL Solid 60 Topline	179669 &	179670 &
40,1	30.4	2	5	21,7 - 25,5	HL Solid 60 Topline	179671 &	179672 &
40,8	36	2	5	21,7 - 25,5	HL Solid 60 Topline	179673 &	179674 &
42,8	31	2	5	21,7 - 25,5	HL Solid 60 Topline	179675 &	179676 &
42,8	36	2	5	21,7 - 25,5	HL Solid 60 Topline	179677 &	179678 &
45,8	36	2	5	21,7 - 25,5	HL Solid 60 Topline	179679 &	179680 &
49,9	20.9	2	5	21,7 - 25,5	HL Solid 60 Topline	179681 &	179682 &
49,9	33	2	5	21,7 - 25,5	HL Solid 60 Topline	179683 &	179684 &
49,9	40.2	2	5	21,7 - 25,5	HL Solid 60 Topline	179685 &	179686 &
60,6	25.8	2	5	22 - 26	HL Solid 60 Topline	179687 &	179688 &
59,8	35.4	2	5	25,5 + 43,2	HL Solid 60 Topline	179689 &	179690 &
80,6	35.8	2	5	44	HL Solid 60 Topline	179691 &	179692 &
[mm]	[mm]	[mm]	[mm]	[mm]			


152526 / 152529

SuperProfiler Blanks HW

Product



Drawing



tungsten carbide [HW]

Machine / Application

for use in LEUCO SuperProfiler cutterheads

Design

thickness ground
optionally Topline (polished face)
cutting material: HW
HL Board 06 for wood-based panels, plastics and hard woods
HL Solid 60 for soft woods

Advantages

Topline design: highest cutting quality and significantly improved cutting edges

Notes

for concave and convex profiles
T = maximum profile depth

B	H	S	Ø d	L	Tmax	LEUCODUR	Ident-No.
30,6	25.5	1.5	4	16 - 20	13	HL Board 06	179114
30,6	25.5	1.5	4	16 - 20	13	HL Solid 60	177369
40,6	28.2	1.5	4	28	13	HL Board 06	179112
40,6	28.2	1.5	4	28	13	HL Solid 60	177367
40,6	40.6	2	5	28	20	HL Board 06	179115
40,6	40.6	2	5	28	20	HL Solid 60	178844
49,3	33.7	1.5	4	35	16	HL Board 06	180199
60,8	30.2	1.5	4	48	15	HL Board 06	179113
60,8	30.2	1.5	4	48	15	HL Solid 60	177368
60,6	45.6	2	5	45	25	HL Board 06	179999
60,6	45.6	2	5	45	25	HL Solid 60	178845
80,6	45.6	2	6	65	25	HL Board 06	180016
80,6	45.6	2	6	65	25	HL Solid 60	180017
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		


B	H	S	Ø d	L	Tmax	LEUCODUR	Ident-No. [L]	Ident-No. [R]
30,6	25.5	1.5	4	16 - 20	13	HL Board 06 topline	178701	178702
30,6	25.5	1.5	4	16 - 20	13	HL Solid 60 topline	177789	177790
40,6	28.2	1.5	4	28	13	HL Board 06 topline	178627	178626
40,6	28.2	1.5	4	28	13	HL Solid 60 topline	177791	177808
40,6	40.6	2	5	28	20	HL Board 06 topline	180030 &	180031
40,6	40.6	2	5	28	20	HL Solid 60 topline	180032 &	180033
49,3	33.7	1.5	4	35	16	HL Board 06 topline	180208	180209
60,8	30.2	1.5	4	48	15	HL Board 06 topline	178643	178628
60,8	30.2	1.5	4	48	15	HL Solid 60 topline	177809	177810
60,6	45.6	2	5	45	25	HL Board 06 topline	180034	180035
60,6	45.6	2	5	45	25	HL Solid 60 topline	180040 &	180041
80,6	45.6	2	6	65	25	HL Board 06 topline	180042	180043
80,6	45.6	2	6	65	25	HL Solid 60 topline	180044	180045
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]			

152526

SuperProfiler Blanks HW - B=50 mm

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in LEUCO SuperProfiler cutterheads

Design

optionally Topline (polished face)
cutting material: HW
HL Board 06 for wood-based panels, plastics and hard woods

Advantages

Topline design: highest cutting quality and significantly improved cutting edges

Notes

T = maximum profile depth


B	H	S	Ø d	L	Tmax	LEUCODUR	Ident-No.	
49,4	44.5	2	5	35	22	HL Board 06	180218	
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]			
B	H	S	Ø d	L	Tmax	LEUCODUR	Ident-No. [L]	Ident-No. [R]
49,4	44.5	2	5	35	22	HL Board 06 topline	180219	180220
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]			

152536

PolyProfiler- / EcoPro-Blanks HW - B=40 mm

Product

Drawing



tungsten carbide [HW]

Machine / Application

for use in LEUCO PolyProfiler and EcoPro cutterheads

Design

two-point seating surface and center stop for axial positioning
cutting material: HW
HL Board 06 for wood-based panels, plastics and hard woods

Advantages

precise positioning of the blanks for profiling and of the single-sided profile knife in the cutterhead


Notes

profile knife can be profiled per customer specifications
packing unit: 10 pieces

B	H	S	Ø d	L	Ident-No.
41 [mm]	32.5 [mm]	2 [mm]	5 [mm]	21,7-25,5 [mm]	180197

152536

PolyProfiler- / EcoPro-Blanks HW - B=60 mm

Product		Drawing		LEUCO DUR tungsten carbide [HW]	
					
Machine / Application		Design	Advantages	Notes	
for use in LEUCO PolyProfiler and EcoPro cutterheads		two-point seating surface and center stop for axial positioning cutting material: HW HL Board 06 for wood-based panels, plastics and hard woods	precise positioning of the blanks for profiling and of the single-sided profile knife in the cutterhead	profile knife can be profiled per customer specifications packing unit: 10 pieces	
B	H	S	Ø d	L	Ident-No.
61 [mm]	34 [mm]	2 [mm]	5 [mm]	41,7-45,5 [mm]	180198




152516

UltraProfiler Blanks HW

Product

Drawing

LEUCO
DUR

tungsten carbide [HW]

Machine / Application

for use in LEUCO UltraProfiler cutterheads

Design

two-point seating and automatic positioning (axial and radial)
optionally Topline (polished face)
cutting material: HW
HL Board 06 for wood-based panels, plastics and hard woods

Advantages

precise and automatic positioning of the blanks for profiling and when changing the knives
no stop screw necessary
Topline design: highest cutting quality and significantly improved cutting edges

Notes

profile knife can be profiled per customer specifications
packing unit: 10 pieces

B	H	S	Ø d	L	Type	LEUCODUR	Ident-No.	
15	30.4	2	3,5		A	HL Board 06	183056	
20	40.4	2	3,5		A	HL Board 06	183057	
25	40.4	2	3,5		A	HL Board 06	183058	
32	40.4	2	3,5	15,8	B	HL Board 06	182419	
40	40.4	2	3,5	26,8	C	HL Board 06	182420	
50	40.4	2	3,5	32,8	C	HL Board 06	182421	
60	40.4	2	3,5	36,8	C	HL Board 06	182422	
[mm]	[mm]	[mm]	[mm]	[mm]				

B	H	S	Ø d	L	Type	LEUCODUR	Ident-No. [L]	Ident-No. [R]
15	30.4	2	3,5		A	HL Board 06 Topline	183680 o	183680 o
20	40.4	2	3,5		A	HL Board 06 Topline	183681 o	183681 o
25	40.4	2	3,5		A	HL Board 06 Topline	183682 o	183682 o
32	40.4	2	3,5	15,8	B	HL Board 06 Topline	182563	182562
40	40.4	2	3,5	26,8	C	HL Board 06 Topline	182565	182564
50	40.4	2	3,5	32,8	C	HL Board 06 Topline	182567	182566
60	40.4	2	3,5	36,8	C	HL Board 06 Topline	182569	182568
[mm]	[mm]	[mm]	[mm]	[mm]				